Subject Index to Volume 5

Acetylation
  prostaglandin synthesis, renomedullary, H65
Acetylcholine
  vascular reactivity, isolated tibia, H904
Acid phosphatase
  cardiac lymph in nonischemic myocardium, H112
Acidosis
  calcium ion exchange, myocardial, H525
  mechanical function, myocardial, H525
Actinomycin D
  thymidine kinase activity, myocardial, H73
Action potentials: *see* Potentials
Adenosine
  distribution, myocardial, during coronary constriction, H833
  exercise vasodilation, H705
  formation, myocardial, with increased cardiac performance, H13
Adenosine monophosphate, cyclic
  protein kinase, dependent, involvement in regulation of heart contractile force, H84
Adenosine triphosphate
  diabetic heart, H806
  distribution, myocardial, during coronary constriction, H833
Adrenergic blockade: *see* Blockade
β-Adrenergic mechanisms
  salbutamol stimulation of arteriolar number, H134
Adrenergic drugs
  erythropoiesis, H422
Adrenergic nerve endings
  norepinephrine overflow from saphenous veins, H263
Adrenergic receptors: *see* Receptors
Adrenergic transmission
  angiotensins and, mesentery, H211
Adrenergic vasodilation: *see* Vasodilation
Adrenoceptors: *see* Receptors
Afferents
  spinal, nonhypotensive arteriovenous shunt, H35
  vagal: *see* Vagal afferents; Vagal fibers
Afterload
  left ventricular, microsphere shunting across coronary circulation, H7
Aging
  growth hormone stimulation of myocardial thymidine kinase, H73
Agonists
  β_2-, salbutamol stimulation of arteriolar number, H134
Albuterol
  erythroid progenitor cell activation, H422
  erythropoietin production, H422
Aldosterone
  concentration, plasma, hypertension during antidiuretic hormone and hypotonic saline infusion, H314
  renovascular hypertension, H101
Alloxan diabetes: *see* Diabetes
α-Amanitin
  ribonucleic acid synthesis and endogenous polymerases, myocardial, in hyperthyroidism, H451
Amines
  sympathomimetic, cardiovascular actions, H592
Amino acid
  perfusion, anoxic and ischemic myocardium, H873
Aminooxyacetic acid
  anoxic and ischemic myocardium, H873
Amperometric detection
  norepinephrine overflow from saphenous veins, H263
Amplifiers
  automatic cardiac action potential duration meters, H183
Analog circuitry
  peak time measurement, H785
Anastomoses
  coronary arteriovenous, microsphere shunting, H7
Anesthesia: *see also* specific anesthetics
  peripheral circulation after hemorrhage, H206
Anesthetics
  local, exercise vasodilation, H705
Angiogenesis
  salbutamol and, H134
Angiotensin: *see also* Renin-angiotensin system
  adrenergic transmission, perfused mesentery, H211
  renin release with carotid occlusion, H108
  renovascular hypertension, H101
Angiotensin II
  adrenergic transmission, modulation, mesentery, H211
  [des-Asp^1]angiotensin II, adrenergic transmission, modulation, mesentery, H211
  [des-Asp^1-Arg^2]angiotensin II, adrenergic transmission, modulation, mesentery, H211
  inhibitor, stroke-prone spontaneous hypertension, H409
  prostaglandin synthesis, renomedullary, H65
  receptor blockade by saralasin in hemorrhagic shock, H280
  [Sar^1-Ala^8]angiotensin II: *see* Angiotensin antagonists
  [Sar^1-Ile^8]angiotensin II, adrenergic transmission, modulation, mesentery, H211
  stroke-prone spontaneous hypertension, H409
  vascular resistance after pulmonary artery constriction, H866
Angiotensin III
  adrenergic transmission, modulation, mesentery, H211
  [Ile^7]angiotensin III, adrenergic transmission, modulation, mesentery, H211
Angiotensin antagonists
  angiotensin II receptor blockade in hemorrhagic shock, H280
  mesenteric vasoconstrictor response to vasopressin, H200
Anisosmolar solutions
  volumetric measurements, isolated cardiac muscle, H519
Anoxia
  myocardial, amino acid perfusion, H873
Antidiuretic hormone: *see also* Vasopressin
  atrial distension in heart failure, renal effects, H556
  infusion, hypertension, H314
Aorta
  diabetic contractile response, H301
  hydraulic conductivity, endothelial and outer layers, H53
  hydrostatic pressure, hydraulic conductivity and, H53
  hypertrophy: *see* Hypertrophy
Aortic arch
  perfusion, baroceptor resetting, H174
  reflexes: *see* Reflexes
Aortic baroreflex: *see* Reflexes
Aortic depressor nerve
  baroceptor resetting, H174
Aortic nerve
  activity, multichannel telemetry system, H513
Aortic nerve stimulation
  cardiovascular responses at fixed carotid pressure, H769
  reflexes, H127
  subthalamic-mediated bradycardia, H471
Aortic stenosis
  fiber orientation, left ventricular hypertrophy, H487
Aortic valve
  stenosis, subcoronary, H760
Aortic wall
  hydraulic conductivity, H53
Aortocaval fistula: *see* Fistula
Apparatus and techniques: *see* specific subject and site; *see also* Models
Appetite: *see* Feeding, and the specific dietary constituent
Aprotinin
  angiotensin II receptor blockade in hemorrhagic shock, H280
Arrhythmias, cardiac
  infarct growth toward endocardium, H356
  strophanthidin toxicity, Purkinje fibers, H689
  vulnerability, relation to ventricular repolarization and T wave-form, H391
Arterial baroreceptors: *see* Receptors
Arterial baroreflex: *see* Reflexes
Arterial occlusion: *see also* specific artery and site
  partial, intestinal oxygen uptake, H731
Arterial pressure: *see* Pressure; Blood pressure
Arterial wall
  aortic, hydraulic conductivity, H53
  mechanics, atherosclerosis (racing greyhound), H790
  pial, composition, H151
Arteries
  small, norepinephrine effects in hypertension, H545
Arterioles
  capillary limb, blood pressure

Arterioles (*continued*)
fluctuations, nailfold, H888
closure, hypertension, H157
closure, norepinephrine mediation, H157
number, salbutamol stimulation, in spontaneous hypertension, H134
Arteriovenous fistula: *see* Fistula
Arteriovenous oxygen difference: *see* Oxygen
Arteriovenous shunt: *see* Shunt
Atherosclerosis
dietary, arterial wall properties (racing greyhound), H790
smooth muscle mechanics (racing greyhound), H790
Atria: *see* Heart atria
Atropine
vascular reactivity, isolated tibia, H904
vasodilation, pressor response buffering, H165
Autonomic nervous system
blood flow, renal, during dynamic exercise (baboon), H141
oxygen uptake, intestinal, H731
Autonomic regulation
carotid sinus reflex function, alloxan diabetes, H417
contractile strength, right atrial, H860
Autoregulation
cerebral blood flow, sympathetic nerves and, H549
extracorporeal, closed chest coronary artery perfusion, H652
Aversive conditioning: *see* Conditioning

Balloon
intraventricular, for lumen volume measurement, H506
Baroreceptors: *see* Receptors
Baroreflex: *see* Reflexes
Barostatic reflex: *see* Reflexes
Behavior
regulation, peripheral resistance and, H880
Behavioral stress
cardiac changes, H750
Blockade
angiotensin II receptors, in hemorrhagic shock, H280
β-adrenergic, nonhypotensive arteriovenous shunt, H35
adrenoceptor, renal, renin release and, H580
neuronal reuptake, mesentery, H211
sympathetic ganglion, peripheral circulation after hemorrhage, H206
Blocking agents
H_2, contractile force, heart, H84
Blood
rheology: *see* Rheology
Blood flow: *see also* Circulation; Microcirculation
bone, cooling and heating, effects, H1
bone, measurement by ^{85}Sr microspheres and bone-seeker clearances, H1
brain cortex, hemodilution, reflectometry, H759
electromagnetic flow transducers (baboon), H508
flowmetry: *see* Flowmetry
hand, plethysmography and Doppler flowmetry, comparison, H899
hepatic, isoproterenol-induced myocardial injury, H813
intestinal, sympathetic stimulation and partial arterial occlusion, H731
mesenteric artery, angtiotensin II receptor blockade, H280
microregional, hemodilution, reflectometry, H759
organ, isometric exercise, H218
organ, spontaneous and renal hypertension, comparison, H403
peripheral, heart failure, arteriovenous shunt model, H698
regional, estimates, scattering, ^{133}Xe intracarotid injection, H680
splanchnic, sympathetic stimulation and partial arterial occlusion, H731
Blood flow, cerebral
Bohr effect on oxygen supply (duck), H744
estimates, scattering, ^{133}Xe intracarotid injections, H680
redistribution, H549
sympathetic nerves, effects, H549
Blood flow, coronary
atrial pacing and, H231
isolated heart preparation for external assessment of myocardial metabolism, H644
local regulation, H833
microspheres, shunting, H7
myocardial adenosine formation and, H13
myocardial contractility and, H121
myocardial perfusion and ischemia, regional, H385
Blood flow, renal
distribution, during exercise, H141
dynamic leg exercise (baboon), H141
operant conditioning, H141
prostaglandin endoperoxides, H427
Blood pressure: *see also* Pressure
arterial, hypoxic and carbon monoxide hypoxia, H22
arterial, systemic, measurement, tethering system (caged baboon), H775
carotid occlusion, H96
diabetes, alloxan, H417
exercise and shock avoidance, H225
nailfold capillaries, fluctuations, H888
nucleus tractus solitarii destruction, H736
sinoartic denervation, H736
sympathoadrenal response to immobilization stress in spontaneous hypertension, H457
Blood reservoir
splenic, isoproterenol and, H238
Blood sampling
coronary vein, evaluation of regional myocardial perfusion and ischemia, H385
Blood volume: *see also* Volume
active, in endotoxin shock, indicator-dilution measurement, H291
antidiuretic hormone and hypotonic saline infusion, H314
brain cortex, hemodilution, reflectometry, H759
microregional, hemodilution, reflectometry, H759
Body
lower, negative pressure, heart rate and, H42
weight: *see* Weight
Body surface electrocardiogram: *see* Electrocardiography
Bohr effect
oxygen supply, cerebral blood flow (duck), H744
Bone
blood flow: *see* Blood flow; Circulation
calcium-45 clearance, H1
^{99m}Tc pyrophosphate clearance, H1
vascular reactivity, isolated tibia, H904
Bone marrow
erythropoiesis, albuterol effects, H422
Bradycardia
subthalamic-mediated, extracellular single-unit recording, H471
Bradykinin
macromecular efflux and, H600
prostaglandin synthesis, renomedullary, H65
Brain
ventriculocisternal perfusion, free fatty acid turnover, cerebrospinal fluid, H802
Brain cortex
blood flow and volume, microreflectometry, H759
Buffering
pressor response, β-adrenergic and cholinergic vasodilation, H165
Bundle branch: *see* Heart
Butoxamine
erythropoiesis, H422

Caffeine
strophanthidin toxicity, Purkinje fibers, H689
Calcium
atrial tension and, H629
blockers, vascular smooth muscle, H613
influx, digoxin-norepinephrine response, vascular smooth muscle, H613
release, digoxin-norepinephrine response, vascular smooth muscle, H613
strophanthidin toxicity, Purkinje fibers, H689
Calcium-45
bone clearance, H1
Calcium ions
digoxin-norepinephrine response, vascular smooth muscle, H613
Capillaries: *see* specific related subject and site: *see also* Circulation; Filtration; Microcirculation; Permeability; Pressure; Resistance
intestinal, oxygen uptake during sympathetic stimulation and partial arterial occlusion, H731
nailfold, blood pressure fluctuations, H888
Carbon
colloid, regional myocardial ischemia, H340
Carbon dioxide pressure
acidosis, myocardial, H525
extracellular, measurement, H29
myocardial, measurement with microelectrode, H29
myocardial, relation to coronary sinus carbon dioxide pressure, H29
venous, evaluation of regional myocardial perfusion and ischemia, H385
Cardiac nerve

inferior, activity during mesenteric artery occlusion, H286
Cardiac output
biventricular hypertrophy, normotensive, H640
distribution during isometric exercise, H218
endotoxin shock, H291
exercise and shock avoidance, H225
high, heart failure: *see* Heart failure
hypertension, spontaneous and renal, comparison, H403
hypoxic and carbon monoxide hypoxia, H22
pentobarbital effects after hemorrhage and hypotension, H607
phase plane analysis of dye-dilution curves, H796
Cardiac vein, great
evaluation of regional myocardial perfusion and ischemia, H385
Cardioacceleratory reflex: *see* Reflexes
Cardiogenic shock: *see* Shock
Cardioplegia
potassium, progressive hypothermia during global ischemia, H839
Cardiopulmonary baroreceptors: *see* Receptors
Cardiopulmonary receptors: *see* Receptors
Cardiotachometer
R-R interval, high-resolution determination, H894
Cardiovascular activity
aversive stimulation, H434
covariations, H434
Cardiovascular function
tethering system for direct measurement (caged baboon), H775
Cardiovascular responses
aortic nerve stimulation at fixed carotid pressure, H769
aversive conditioning of peripheral resistance, H880
conditional, to shock before and after coronary occlusion (monkey), H273
isometric exercise, H218
Cardiovascular system
behavioral stress, H750
chronically implanted electromagnetic flow transducer, sensitivity to, H508
neural signals, multichannel telemetry system, H513
β-phenylethylamine actions, H592
Carotid artery
calcium blocker effects, H613
digoxin-norepinephrine response, H613
occlusion, plasma and lymph dopamine-β-hydroxylase, norepinephrine and, H96
occlusion, renin release and, role of renal arterial pressure, H101
Carotid body
resection, hypoxic responses, H22
Carotid baroreflex: *see* Reflexes
Carotid reflexes: *see* Reflexes
Carotid sinus
compensation, cardiovascular responses, H769
hypertrophy: *see* Hypertrophy
pressure: *see* Pressure
reflex: *see* Reflexes
Carotid sinus nerve
stimulation, reflexes, H127
Cartesian diver microrespirometer
oxygen consumption, pial arteries, H151
Catecholamines
circulating, plasma renin activity, control, H463
concentration, arterial total, hypoxia, H22
hypoxic and carbon monoxide hypoxia, H22
nerve growth factor-enhanced reinnervation, cardiac, H624
plasma, heart failure, arteriovenous shunt model, H698
plasma renin activity, control, H854
regional plasma, during carotid occlusion, H96
sympathoadrenal response to immobilization stress in spontaneous hypertension, H457
vascular resistance after pulmonary artery constriction, H866
vascular smooth muscle responses, H613
Cathepsin
circulating, reticuloendothelial system, following myocardial injury, H813
Catheter, fluid-filled
damping ratio, H376
frequency and step responses, determination, H376
undamped natural frequency, H376
Catheter, indwelling
cardiovascular function measurement, tethering system (caged baboon), H775
pulmonary circulation, hypoxia, H818
Catheterization
chronic, placental vascular responses to indomethacin (ovine), H61
Cell physiology
subendocardial infarcts, H356
Central venous pressure: *see* Pressure, venous
Cerebral blood flow: *see* Blood flow; Circulation
Cerebrospinal fluid: *see* Fluid
Cerebrovascular blood flow: *see* Blood flow; Circulation
Cerebrum
glucose: *see* Glucose
oxygen: *see* Oxygen
Cheek pouch
bradykinin-induced macromolecular efflux, H600
Choline acetyltransferase
activity, cardiac, following vagotomy, H620
Cholinergic neurons
choline acetyltransferase activity, cardiac, H620
Cholinergic vasodilation: *see* Vasodilation
Chromatin
ribonucleic acid polymerases, myocardial, and, H451
Chromatography
DEAE-Sephadex, ribonucleic acid synthesis and endogenous polymerases, myocardial, H451
high-performance liquid, norepinephrine overflow from saphenous veins, H263
Chromium-51
blood volume, active, in endotoxin shock, H291
erythrocyte concentration mechanism, splenic, H238
Circulation: *see also* Blood flow; Microcirculation
bone, isolated tibia, H904
capillary, right bundle branch-septal model, H379
cerebrovascular, estimates, scattering, ^{133}Xe intracarotid injection, H680
coronary, microspheres, shunting, H7
extracorporeal system, for closed-chest coronary perfusion, H652
metabolism and, coupling, in exercise vasodilation, H705
peripheral, whole-body response after hemorrhage, H206
pulmonary, hypoxia, hemodynamics and structure, H818
pulmonary, prostaglandins E_1 and E_2, perinatal (goat), H828
splenic, erythrocyte concentration mechanism, H238
splenic, isoproterenol, H238
systemic, prostaglandins E_1 and E_2, perinatal (goat), H828
Circulatory filling pressure
hemorrhage, H206
Coagulation
exercise-activated, fibrin formation, H577
Cocaine
aortic contractile response, diabetes and, H301
Collagen
atherosclerosis and, arterial wall (racing greyhound), H790
Colloid oncotic pressure: *see* Pressure
Colloidal carbon: *see* Carbon
Compliance
vascular, hypertension, hindlimb capillaries, H586
ventricular, positive end-expiratory pressure and, H534
Computer studies: *see* specific subject and site; *see also* Models
Conditioning
aversive, peripheral resistance elevations, H880
classical, cardiovascular response to shock (monkey), H273
operant, peripheral resistance elevations, H880
physical: *see* Exercise
Conducting system
tetrodotoxin effects, cardiac action potentials, H561
Conductivity
hydraulic, aortic endothelium and outer layers, H53
Congestive heart failure: *see* Heart failure
Constriction: *see* specific subject and site
Contraction
heart: *see* Muscle, heart, contraction
muscular: *see* Muscle
Contracture
hyperosmolar media, atrial, H629
Cooling
bone blood flow responses, H1
Coronary anastomoses
arteriovenous, microsphere shunting, H7
Coronary artery
constriction, adenosine distribution, myocardial, H833
occlusion, cardiovascular response to shock (monkey), H273
occlusion, extracorporeal circulation system, H652
occlusion, infarct growth toward

Coronary artery (*continued*)
endocardium, time course, H356
perfusion, constant-flow, H652
perfusion, extracorporeal circulation system, H652
Coronary blood flow: *see* Blood flow; Circulation
Coronary sinus
carbon dioxide pressure and myocardial carbon dioxide pressure, relation, H29
evaluation of regional myocardial perfusion and ischemia, H385
Coronary vascular resistance: *see* Resistance
Coronary vein
blood sampling, evaluation of regional myocardial perfusion and ischemia, H385
Corticosterone
sympathoadrenal response to immobilization stress in spontaneous hypertension, H457
Count-rate analysis
baroceptor resetting, H174
Coupling
circulation-metabolism, exercise vasodilation and, H705
intercellular, cardiac, active sodium transport and, H189
Creatine kinase
ischemia, myocardial, regional, H340
Creatine phosphate
distribution, myocardial, during coronary constriction, H833
Creatine phosphokinase
myocardial-specific, H813
reticuloendothelial system function following myocardial injury, H813
Cremaster muscle
salbutamol stimulation of arteriolar number, H134
Cyclic AMP: *see* Adenosine monophosphate, cyclic
Cyclic nucleotides: *see* Nucleotides, cyclic
Cycloheximide
thymidine kinase activity, myocardial, H73
Cytochrome *c*
cardiac, exercise-induced hypertrophy, H268

Damping ratio
catheters, fluid-filled, H376
Defibrination
therapeutic, hemorheology and, H447
Deformability index
erythrocytes (camel, llama, goat, seal), H725
Denervation: *see* specific site and nerve
Deoxycorticosterone acetate-sodium chloride
hypertension, pre- and postcapillary resistance, hindlimb, H586
Deoxyribonucleic acid
cardiac, exercise-induced hypertrophy, H268
synthesis, growth hormone stimulation, myocardial, H73
Deoxyribonucleic acid polymerase
thymidine kinase activity, myocardial, H73
Depressor nerve
aortic, baroceptor resetting, H174
[Des-Asp^1]angiotensin II: *see* Angiotensin II
Desipramine
cardiovascular actions of β-phenylethylamine, H592
Dextran
fluorescent, leakage sites, bradykinin-induced macromolecular efflux, cheek pouch, H600
Diabetes, alloxan
aortic contractile response, H301
cardiac performance, H806
carotid sinus reflex function, H417
Diabetes mellitus
aortic contractile response, H301
Diastolic mechanics
left ventricle: *see* Heart ventricles
Digoxin-norepinephrine
vascular smooth muscle responses, H613
Dopamine-β-hydroxylase
plasma and lymph, during carotid occlusion, H96
Doppler blood flowmetry: *see* Flowmetry
Dose-response relationship
mesenteric resistance vessels to vasopressin, H200
Dye-dilution: *see also* Indicator-dilution
cardiac output and mean transit time, phase plane analysis, H796
exponential downslope, H796

Edema, pulmonary
ventricular function, H534
Efferents
cardiac sympathetic, in tachycardia induced by nonhypotensive arteriovenous shunt, H35
vagal: *see* Vagal efferents
Ektacytometry
erythrocyte deformability (camel, llama, goat, seal), H725
Elastance
isovolumic contractions and, right atrium, H672
time-varying, cardiac, H498
Elastic modulus
arterial wall, atherosclerosis (racing greyhound), H790
Elasticity, series
arterial wall, atherosclerosis, (racing greyhound), H790
Elastin
atherosclerosis and, arterial wall (racing greyhound), H790
Electrical stimulation
baroreceptor reflexes from carotid sinus and aortic arch, H127
norepinephrine overflow from saphenous veins, measurement, H263
Electrocardiography
body surface, ventricular repolarization, H391
cardiac surface, ventricular repolarization, H391
R-R interval, high-resolution determination, H894
T wave-form, ventricular repolarization, H391
Electrodes
implantable, multichannel telemetry system, cardiovascular, H513
Electrogenic sodium pump: *see* Pump
Electrolytes
intracellular, hypertrophied myocardium, H79
renal, prostaglandin endoperoxides and, H427
Electromagnetic flow transducers: *see* Transducers
Electrophysiology: *see* specific subject and site
End-diastolic pressure: *see* Pressure
Endocardium
infarct growth, time course, H356
Endoperoxides
prostaglandin: *see* Prostaglandin endoperoxides
Endothelium: *see* site
Endotoxin shock: *see* Shock
Energetics
heart, H494, H498
Energy
mechanical, ventricular model, cardiac oxygen consumption and, H498
potential, left ventricular, H498
potential, relaxing ventricle, H494
Enzymes
lysosomal: *see* Lysosomal enzymes
Epicardium
activation sequence, H391
regional perfusion and heat generation, thermal quantification, H345
strain, high frequency and low impedance gauge, H657
Epileptic seizure
blood flow and volume, brain cortex, microreflectometry, H759
Epinephrine
plasma renin activity and, possible extrarenal mechanisms, H854
plasma renin activity, control, H463
Erythrocytes
deformability (camel, llama, goat, seal), H725
splenic, concentration mechanism, inhibition by isoproterenol, H238
storage, spleen, H238
volume: *see* Volume
Erythroid progenitor cells
activation, albuterol effects, H422
Erythropoiesis
albuterol effects, H422
Erythropoietin
production, albuterol effects, H422
Esophageal pressure: *see* Pressure
Exercise
coagulation activation, fibrin formation and, H577
dynamic, leg, renal blood flow (baboon), H141
hemodynamic adjustments, H225
hyperemia, potassium depletion H480
hypertrophy, cardiac, development and regression, H268
hypertrophy, fiber orientation, left ventricular, H487
isometric, cardiac output distribution, H218
metabolic adjustments, H225
racing, atherosclerosis, arterial wall mechanics (greyhound), H790
restricted flow, prostaglandin E release, skeletal muscle, H596
treadmill, myocardial adenosine formation, H13
vasodilation, contributions of nerves and metabolites, H705

Extracellular single-unit recording
subthalamic-mediated bradycardia, H471
Extracellular fluid: *see* Fluid
Extracellular space
hypertrophied myocardium, H79
volumetric measurement, isolated cardiac muscle, H519
Extracorporeal circulation: *see* Circulation
Extrastimulus techniques
ventricular repolarization, H391

F cells ratio
endotoxin shock, H291
Factorial experimental designs: *see* Models, and the specific subject and site
Fatty acid, free
turnover, cerebrospinal fluid, during hypotension, H802
Femoral artery
viscoelastic properties, low-frequency, H720
Fetus
monitoring, R-R interval, high-resolution determination, H894
vascular responses, pulmonary and systemic, to prostaglandins E_1 and E_2 (goat), H828
Fibers: *see* Muscle fibers; Purkinje fibers; Vagal fibers
Fibrin
formation, exercise-induced coagulation, H577
Fibrinogen
concentrations, blood rheology and, H447
exercise and, H577
Fibrinopeptide A
exercise and, H577
Filtration coefficient
capillaries, hindlimb, deoxycorticosterone acetate-sodium chloride hypertension, H586
Fistula
aortocaval, heart failure, arteriovenous shunt model, H698
arteriovenous, atrial distension, renal effects, H554
Flow transducers: *see* Transducers
Flowmetry
ultrasonic, and plethysmography, comparison, H899
Fluid
balance, malignant hypertension, H665
cerebrospinal, free fatty acid turnover during hypotension, H802
extracellular, solute mixing, impaired, after hemorrhagic hypotension, H440
Fluorescent dextran leakage sites
bradykinin-induced macromolecular efflux, cheek pouch, H600
Fluorometry
norepinephrine overflow from saphenous veins, H263
Force
wall: *see* Wall force, and the specific site
Forelimb
bradykinin-induced macromolecular efflux, H600
Frequency: *see also* specific subject and site
determination from step response, fluid-filled catheters, H376

Gain
open-loop: *see* Open-loop gain
Ganglion: *see* Stellate ganglions; Sympathetic ganglions
Gas, inert
flow, measurement, in evaluation of regional and myocardial perfusion and ischemia, H385
Gating mechanism
tetrodotoxin and, H561
Genetic hypertension: *see* Hypertension
Global ischemia: *see* Ischemia
Glucagon
oxygen exchange, mesenteric microcirculation, H846
Glucose
atrial tension and, H629
uptake, cerebral, hypotension and, H802
uptake, diabetic heart, H806
Glucose 6-phosphate
diabetic heart, H806
Glycogen
diabetic heart, H806
Glycosides
cardiac, vascular smooth muscle responses, H613
Great cardiac vein: *see* Cardiac vein
Growth factor: *see* Nerve growth factor
Growth hormone
age-dependent stimulation of myocardial thymidine kinase, H73
Guanethidine
baroceptor resetting, H174
Gut: *see* Intestines

H_2
blocking agents, contractile force, heart, H84
Hand
blood flow, plethysmography and Doppler flowmetry, comparison, H899
Heart
amino acid perfusion, mechanical recovery, H873
anoxia: *see* Anoxia
arrhythmias: *see* Arrhythmias
behavioral stress effects, H750
choline acetyltransferase activity following vagotomy, H620
conducting system, tetrodotoxin effects, H561
contraction: *see* Muscle, heart, contraction
coupling, intercellular, active sodium transport and, H189
cytochrome *c*, exercise-induced hypertrophy, H268
denervation, nerve growth factor-enhanced reinnervation, H624
deoxyribonucleic acid, exercise-induced hypertrophy, H268
electrophysiology, H189, H391
energetics, H494, H498
energy, potential, relaxing ventricle, H494
exercised: *see* Exercise
function, increased, myocardial adenosine formation and, H13
hemodynamics: *see* Hemodynamics
hypertrophied: *see* Hypertrophy
innervation, contractile strength, right atrial, H860
ischemia: *see* Ischemia
lymph: *see* Lymph
metabolism, isolated preparation for external assessment, H644
muscle: *see* Muscle, heart
muscle cells: *see* Muscle cells; Myocytes
muscle fibers: *see* Muscle fibers
oxygen: *see* Oxygen
performance, alloxan diabetes, H806
performance, inotropy and preload at high heart rate, H568
perfused, protein kinase in regulation of contractile force, H84
perfused, right bundle branch-septal model, H379
potentials: *see* Potentials
pressure-volume: *see* Pressure-volume relations
R-R interval, high-resolution determination, H894
relaxing, external mechanical work, H494
stroke volume: *see* Volume, stroke
superfusion, right bundle branch-septal model, H379
trabecula, ventricular volume measurement, H506
weight: *see* Weight
working isolated, alloxan diabetes and, H806
working, oxygen consumption, model, H498
Heart atria
contracture, hyperosmolar media, H629
distension, renal effects in congestive heart failure, H554
pacing, inotropy and preload at high heart rate, H568
pacing, oxygen consumption and supply, regional, H231
passive tension in hyperosmolar media, H629
pressure: *see* Pressure
receptors: *see* Receptors
Heart atria, right
contractile strength, autonomic control, H860
elastance, isovolumic contraction and, H672
pressure-volume relations, instantaneous, isovolumic contraction, H672
Heart failure
congestive, atrial distension, renal effects, H554
high output, arteriovenous shunt, model, H698
Heart rate
arterial baroreflex control, central venous pressure and, H42
baroreflex control, modulation, H42
behavioral stress, H750
cardiovascular activity, covariations, H434
carotid sinus and aortic arch reflexes, H127
conditional response to shock before and after coronary occlusion (monkey), H273
diabetes, alloxan, H417
exercise and shock avoidance, H225
high, inotropy and preload, independent effect on cardiac performance, H568
hypoxic and carbon monoxide hypoxia, H22
measurement, tethering system (caged baboon), H775

Heart rate (*continued*)
nervous control, H35
nonhypotensive arteriovenous shunt, H35
nucleus tractus solitarii destruction, H736
pentobarbital effects after hemorrhage and hypotension, H607
sinoaortic denervation, H736
Heart septum
histology, right bundle branch-septal model, H379
interventricular, hemodynamic alterations, H254
Heart ventricles
activation sequence, H391
compliance: *see* Compliance
contractility: see Muscle, heart, contraction
electrophysiology, muscular, infarct growth, H356
force isopleth, H787
function, positive end-expiratory pressure, H534
function, progressive hypothermia during global ischemia, H839
hypertrophy: *see* Hypertrophy
mechanical energy and cardiac oxygen consumption, model, H498
pedicle preparation, thermal quantification of regional myocardial perfusion and heat generation, H345
pressure: *see* Pressure
refractory periods, H391
relaxing, external mechanical work, H494
repolarization: *see* Repolarization; *see also* Potentials
volume: *see* Volume
wall force and stress, estimation from pressure-volume diagram, H787
Heart ventricles, left
afterload, microsphere shunting across coronary circulation, H7
diastolic mechanics, regional, H323
fibers: *see* Muscle fibers
filling, diastolic, H323
filling, high heart rate and, H568
hemodynamic alterations, H254
lumen volume measurement by intraventricular balloon method, H506
Heart ventricles, right
hypertrophy: see Hypertrophy
wall motion, hemodynamic alterations, H254
Heat
bone blood flow responses, H1
clearance, myocardial, quantification, H345
generation, thermal quantification, regional myocardial, H345
Hematocrit
sinoaortic denervation hypertension, H92
Hemodilution curves
tissue, microreflectometry, brain cortex, H759
Hemodynamics
alterations, right ventricular wall motion, H254
biventricular hypertrophy, normotensive, H640
exercise and shock avoidance, H225
heart failure, arteriovenous shunt model, H698
hypoxia, hypoxic and carbon monoxide, H22
pulmonary, hypoxia, H818
spontaneous and renal hypertension, comparison, H403
Hemorheology: *see* Rheology
Hemorrhage
free fatty acid turnover, cerebrospinal fluid, H802
hypotension and, pentobarbital effects, H607
mesenteric, oxygen exchange, H846
peripheral circulation, whole-body response, H206
plasma renin activity, control, H463
quick, hypotension and, pentobarbital effects, H607
Hemorrhagic hypotension: *see* Hypotension
Hemorrhagic shock: *see* Shock
High output failure: *see* Heart failure
Hindlimb
deoxycorticosterone acetate-sodium chloride hypertension, capillary resistance, H586
Hindquarters
vascular resistance, salt-induced hypertension (Dahl strain), H48
Histamine
contractile force, heart, H84
Histology
septum, heart, H379
Horse serum
perfusion, right bundle branch-septal model, H379
Humoral regulation
vascular resistance after pulmonary artery constriction, H866
Hydralazine
baroceptor resetting, H174
Hydraulic conductivity: *see* Conductivity
Hydrogen ion concentration: *see* pH
6-Hydroxydopamine
salt-induced hypertension, prevention (Dahl strain), H48
Hydroxyproline
exercise-induced cardiac hypertrophy, H268
Hypercapnia
blood flow and volume, brain cortex, microreflectometry, H759
Hypercholesterolemia
atherosclerosis and, arterial wall (racing greyhound), H790
Hyperemia
exercise, potassium depletion, H480
intestinal, sympathetic stimulation and partial arterial occlusion, H731
Hyperosmolality
tension, atrial, H629
Hyperosmolar media
cardiac lymph in nonischemic myocardium, H112
tension, atrial, H629
Hyperosmotic effects
resting tension, atrial, H629
Hyperoxia
microsphere shunting across coronary circulation, H7
Hypertension
antidiuretic hormone infusion, H314
arteriolar closure, norepinephrine mediation, H157
deoxycortisterone acetate-sodium chloride, pre- and postcapillary resistance, hindlimb, H586
genetic and renal, hemodynamics, comparison, H403
hypotonic saline infusion, H314
malignant, renin-angiotensin system, H409, H665
malignant, sodium chloride effects, H665
neurogenic, nucleus tractus solitarii destruction and sinoaortic denervation, comparison, H736
neurogenic, plasma volumes and hematocrits, H92
pulmonary, hypoxia, H818
renal, hemodynamics, H403
salt-induced, prevention by 6-hydroxydopamine (Dahl strain), H48
short-duration, baroceptor resetting, H174
sinoaortic denervation, plasma volumes and hematocrits, H92
Hypertension, renovascular
carotid sinus reflex, H101
hemodynamics, H403
microvascular responses to norepinephrine, H545
renin and, H101
sodium depletion and, H101
Hypertension, spontaneous
and renal, hemodynamics, comparison, H403
baroceptor resetting, H174
microvascular responses to norepinephrine, H545
prostaglandin synthesis, renomedullary H65
salbutamol stimulation of arteriolar number, H134
stroke-prone, renin-angiotensin system, H409
sympathoadrenal response to immobilization stress, H457
vasodepressor effects of prostaglandin E_2, vagal afferents and, H635
Hyperthyroidism
ribonucleic acid polymerases, myocardial, H451
ribonucleic acid synthesis, myocardial, H451
Hypertrophy
aortic, baroceptor resetting, H174
biventricular, normotensive, H640
carotid sinus, baroceptor resetting, H174
medial, pulmonary circulation, H818
heart, arteriovenous shunt, model, H698
heart, exercise-induced, development and regression, H268
Hypertrophy, myocardial
cylindrical myocytes, H79
extracellular space, water, and ion concentration, H79
hexagonal lattice, H79
stress, extracellular space, H79
Hypertrophy, ventricular, left
aortic valve stenosis, subcoronary, H780
fiber orientation, H487
myocardial cell diameter, H487
ratio, left ventricular/body weight, H487
Hypertrophy, ventricular, right
hypoxia, H818
pulmonary circulation, H818
Hypocapnic hypoxia: *see* Hypoxia
Hypofibrinogenemia
hemorheology, H447
Hypophysectomy

mesenteric vasoconstrictor response to vasopressin, H200
Hypokalemia
plasma epinephrine, control of plasma renin activity and, H854
Hypotension
free fatty acid turnover, cerebrospinal fluid, H802
hemorrhage and pentobarbital effects, H607
hemorrhagic, solute mixing, impaired, in extracellular fluid, H440
Hypothermia
progressive, global ischemia and, H839
progressive, metabolic and functional effects, H839
Hypotonic saline: *see* Saline
Hypoxia
artery number, reduction, H818
carbon monoxide-induced, hemodynamics, carotid reflexes, and catecholamines, H22
hypocapnic, blood flow, cerebral, Bohr effect (duck), H744
hypoxic, hemodynamics, carotid reflexes, and catecholamines, H22
normocapnic, blood flow, cerebral, Bohr effect (duck), H744
pulmonary hemodynamics and structure, H818

Immobilization stress
sympathoadrenal response in spontaneous hypertension, H457
Impedance
arterial wall, atherosclerosis (racing greyhound), H790
strain gauge, new, H657
Implants
flow transducers: *see* Transducers
Indicator-dilution: *see also* Dye-dilution
blood volume, active, in endotoxin shock, H291
microreflectometric, blood flow and volume, brain cortex, H759
solute mixing, impaired, after hemorrhagic hypotension, H440
Indocyanine green
blood volume, active, in endotoxin shock, H291
Indomethacin
placental vascular responses (ovine), H61
prostaglandin E release, skeletal muscle exercise, H596
vascular responses, pulmonary and systemic, to prostaglandins E_1 and E_2, perinatal (goat), H828
Indwelling catheter: *see* Catheter
Inert gas: *see* Gas
Infarct
subendocardial, cell physiology and structure, H356
Infarction
myocardial, cardiovascular response to shock (monkey), H273
myocardial, infarct growth toward endocardium, time course after coronary occlusion, H356
Infusion: *see* specific subject and site
Innervation: *see* specific site and nerve
Innovar
vasodilation, pressor response buffering, H165
Inosine
distribution, myocardial, during coronary constriction, H833
Inotropy
cardiac: *see* Muscle, heart, contraction
Instrumentation: *see* specific instrument, subject, and site; *see also* Models
Insulin
diabetic heart, H806
Intestines
oxygen uptake, partial arterial occlusion and, H731
resistance vessels, vasopressin effects, H200
Intrinsic nerves
exercise vasodilation, H705
Inulin space
hypertrophied myocardium, H79
Iodine-125
blood volume, active, in endotoxin shock, H291
Ions
concentration, intracellular, hypertrophied myocardium, H79
Ischemia
global, progressive hypothermia, metabolic and functional effects, H839
Ischemia, myocardial
amino acid perfusion, H873
arrest, progressive hypothermia, H839
regional, definition by creatine kinase content and colloidal carbon, H340
regional perfusion and, evaluation from coronary venous blood, H385
ultrasonic attenuation, H340
3-Isobutyl-1-methylxanthine
contractile force, heart, H84
Isometric exercise: *see* Exercise
Isopleth force
ventricular wall, H787
Isopotential maps: *see* Potentials
Isoproterenol
bradykinin-induced macromolecular efflux, H600
inotropy and preload at high heart rate, independent cardiac effects, H568
myocardial contractility, H121
myocardial injury, reticuloendothelial system function, H813
plasma renin activity, control, H463
splenic erythrocyte concentration mechanism, inhibition, H238
vascular reactivity, isolated tibia, H904
Isotonic contraction: *see* Muscle
Isotope dilution
blood volume, active, in endotoxin shock, H291
Isovolumic contraction: *see* Muscle, heart, contraction

Kidney
adrenoceptors: *see* Receptors
angiotensin: *see* Angiotensin
arterial pressure: *see* Pressure
blood flow: *see* Blood flow
denervated, dynamic leg exercise (baboon), H141
function, atrial distension, H554
function, congestive heart failure, H554
nephrectomy: *see* Nephrectomy
prostaglandin endoperoxides, vascular and excretory response, H427
renin: *see* Renin
resistance: *see* Resistance
Kidney medulla
prostaglandin synthesis, phospholipase A_2 and, H65
prostaglandin synthesis, spontaneous hypertension and, H65

Lactate
distribution, myocardial, during coronary constriction, H833
extraction, evaluation of regional myocardial perfusion and ischemia, H385
Lanthanum chloride
digoxin-norepinephrine response, vascular smooth muscle, H613
Laplace relation
ventricular wall force and stress, H787
Leg
dynamic exercise, renal blood flow (baboon), H141
Linear systems theory
catheters, fluid-filled, H376
Liver
blood flow: *see* Blood flow
carotid occlusion effects, H96
phagocytosis: *see* Phagocytosis
Load: *see* Afterload; Preload
Loading
salt: *see* Salt
Lungs
pressure: *see* Pressure
vascular response, prostaglandins E_1 and E_2, perinatal (goat), H828
Lymph
composition, nonischemic myocardium, H112
dopamine-β-hydroxylase, during carotid occlusion, H96
oxygen tension, mesenteric, H846
protein: *see* Protein
Lymph flow
cardiac, mannitol effects, H112
carotid occlusion, H96
Lysosomal enzymes
angiotensin II receptor blockade in hemorrhagic shock, H280
Lysosomes
cardiac, lymph, mannitol effects, H112

Macromolecular efflux
bradykinin-induced, morphological and physiological correlation, H600
Malate-aspartate shuttle
anoxic and ischemic myocardium, mechanics, H873
Malignant hypertension: *see* Hypertension
Malignant vascular lesions
hypertensive, sodium chloride effects, H665
Malondialdehyde
prostaglandin synthesis, renomedullary, H65
Mannitol
atrial tension and, H629
hypertonic, cardiac lymph in nonischemic myocardium, H112
Mathematics: *see* specific subject and site; *see also* Models
Mechanical energy: *see* Energy
Mechanical work: *see* Work

Membrane oxygenators: *see* Oxygenators
Membrane potentials: *see* Potentials
Mepacrine
  prostaglandins synthesis, renomedullary, H65
Mesenteric artery
  blood flow, angiotensin II receptor blockade, H280
  occlusion, inferior cardiac nerve activity, H286
Mesentery
  microcirculation, oxygen exchange, H846
  perfused, adrenergic transmission, angiotensins and, H211
  vasoconstrictor response to vasopressin, hypophysectomy and saralasin effects, H200
Metabolic vasodilators: *see* Vasodilators
Metabolism: *see also* specific subject and site
  exercise and shock avoidance, H225
Metabolites
  vasodilator, exercise vasodilation, H705
Microcirculation: *see also* Blood flow; Circulation
  mesenteric, oxygen exchange, H846
  norepinephrine in hypertension, H545
  oxygen consumption, pial arteries, H151
  oxygenation, resting skeletal muscle, norepinephrine effects, H307
Microelectrodes
  carbon dioxide pressure, myocardial, measurement, H29
Micrometer
  ultrasonic, viscoelasticity, femoral artery, H720
Microreflectometry: *see also* Reflectometry
  NADH, blood flow and volume, brain cortex, H759
Microregion
  blood flow, volume, and transit time, reflectometry, H759
Microrespirometer
  Cartesian diver, oxygen consumption, pial arteries, H151
Microsomes
  prostaglandin synthesis, spontaneous hypertension, H65
Microspheres: *see also* specific subject and site
  arteriovenous shunt model for heart failure, H698
  bone blood flow measurements, ^{85}Sr, H1
  cardiac output during isometric exercise, H218
  cerebral blood flow, sympathetic nerves and, H549
  myocardial contractility, contribution to myocardial perfusion, H121
  myocardial perfusion and heat generation, thermal quantification, H345
  placental vascular responses to indomethacin (ovine), H61
  prostaglandin endoperoxides, renal vascular and excretory response, H427
  shunting across coronary circulation, H1
Microtubules
  thymidine kinase activity, myocardial, H73
Microvascular responses
  norepinephrine in hypertension, H545
Mitosis
  thymidine kinase activity, myocardial, H73
Models
  analog circuitry for measuring time to peaks, H785
  arteriovenous shunt, heart failure, H698
  automatic cardiac action potential duration meter, H183
  baroceptor resetting, H174
  cardiac output during isometric exercise, H218
  cerebral blood flow estimates, scattering, ^{133}Xe intracarotid injections, H680
  computer, action potentions, cardiac conducting system, tetrodotoxin effects, H561
  diastolic mechanics, left ventricle, H323
  dye-dilution curves, phase plane analysis, cardiac output and mean transit time, H796
  extracorporeal circulation system for closed-chest coronary perfusion, H652
  factorial experimental design, autonomic control of right atrial contractile strength, H860
  fluid-filled catheters, determination of frequency response from step response, H376
  multichannel telemetry system, cardiovascular, H513
  myocardial metabolism, isolated heart preparation for external assessment, H644
  myocardial perfusion and heat generation, thermal quantification, H345
  perfused right bundle branch-septal, for electrophysiological studies, H379
  plethysmography and pulsed Doppler blood flowmetry, comparison, H899
  R-R interval, high-resolution determination, H894
  servo-nulling pressure measuring systems, H888
  silicone rubber membrane oxygenators, biocompatibility (sheep), H371
  strain gauge, high frequency, low impedance, H657
  tethering system for direct measurement of cardiovascular function (caged baboon), H775
  ventricular mechanical energy and cardiac oxygen consumption, H498
  ventricular wall force and stress, graphical estimation from pressure-volume diagram, H787
  ventricular repolarization, H391
  ventricular volume measurement by intraventricular balloon method, H506
  volumetric measurement, isolated cardiac muscle, H519
Modulus
  elastic, arterial wall, atherosclerosis (racing greyhound), H790
Monitoring: *see* specific subject and site
Morphology
  bradykinin-induced macromolecular efflux, H600
Muscle
  contractile response, aortic, in diabetes, H301
  contraction, sustained phasic, vasodilation during, H705
  extension, hypoxia and, pulmonary, H818
  papillary: *see* Muscle, heart
  potentials: *see* Potentials
  salbutamol stimulation of arteriolar number, H134
Muscle cells: *see also* Myocytes
Muscle cells, heart
  right bundle branch-septal model, H379
  sodium active transport, H189
Muscle fibers, heart
  angles, distribution, left ventricular, H487
  curvature, radius, left ventricular, H487
  orientation, hypertrophied left ventricle, H487
  strophanthidine-induced toxicity, calcium effects, H689
Muscle, heart
  contracture, hyperosmolar media, atrial, H629
  electrophysiology, infarct growth time course, ventricular, H356
  energetics, indices of myocardial oxygen consumption, H331
  tension, atrial, in hyperosmolar media, H629
  volumetric measurements, papillary muscle, H519
Muscle, heart, contraction
  acidosis, myocardial, H525
  contractile force, cyclic AMP-dependent protein kinase and, H84
  contractile force, strophanthidin-induced toxicity, Purkinje fibers, H689
  contractile strength, right atrial, autonomic control, H860
  contractility, myocardial, contribution to myocardial perfusion, H121
  factorial design, atrial, H860
  inotropy and preload at high heart rate, independent effect, H568
  isometric twitch, papillary muscle, myocardial energetics, H244
  isotonic, myocardial oxygen consumption, H331
  isotonic, oxygen consumption, papillary muscle, H331
  isovolumic, pressure-volume relations, right atrium, H672
  positive end-expiratory pressure, ventricular, H534
  sodium transport, intact cardiac cells, H189
Muscle-heart reflex
  cardiac output during isometric exercise, H218
Muscle, skeletal
  norepinephrine effects in hypertension, H545
  oxygenation, norepinephrine effects, H307
  potassium depletion, exercise hyperemia, H480
  prostaglandin E release during restricted flow exercise, H596
Muscle, smooth
  structural adaptation, hindlimb, deoxycorticosterone acetate-sodium chloride hypertension, H586
Muscle, smooth, vascular
  arterial wall mechanics, atherosclerosis (racing greyhound), H790
  calcium blocker effects, H613
  digoxin-norepinephrine, H613
  oxygen consumption, pial arteries, H151

reactivity, isolated tibia, H904
Myocardial cells
diameter, hypertrophy, left ventricular, H487
Myocardial depressant factor
angiotensin II receptor blockade, hemorrhagic shock, H280
Myocardium: *see also* Muscle, heart
adenosine, distribution during coronary constriction, H833
adenosine, formation, increased cardiac performance and, H13
anoxic: *see* Anoxia
calcium ion exchange, acidosis, H525
carbon dioxide pressure: *see* Carbon dioxide
cardiac lymph, mannitol effects, H112
chord length, high heart rate and, H568
contractility: *see* Muscle, heart, contraction
energetics, during isometric twitch contractions of papillary muscle, H244
fiber orientation, left ventricular hypertrophy, H487
frequency response, strain gauge, H657
function, regional, left ventricular diastolic mechanics and, H323
hypertrophied: *see* Hypertrophy
infarct, infarction: *see* Infarction
ischemic injury: *see* Ischemia
isoproterenol-induced injury, reticuloendothelial system function, H813
mechanical function, acidosis, H525
mechanical recovery, amino acid perfusion and, H873
mechanics, isometric twitch contractions of papillary muscle, H244
metabolism, coronary shunting of microspheres, H7
metabolism, isolated heart preparation for external assessment, H644
mid-, perfusion and heat generation, thermal quantification, H345
myocytes: *see* Myocytes; Muscle cells; Myocardial cells
nerve growth factor-enhanced reinnervation, catecholamines and, H624
oxygen: *see* Oxygen
performance, regional, strain gauge, H657
perfusion, and heat generation, regional, thermal quantification, H345
perfusion, and ischemia, evaluation from coronary venous blood, H385
perfusion, and ischemia, regional, venous indices, H385
perfusion, contribution of myocardial contractility, H121
preservation, progressive hypothermia, H839
pressure: *see* Pressure, intramyocardial
ribonucleic acid polymerases, endogenous, in hyperthyroidism, H451
ribonucleic acid synthesis, in hyperthyroidism, H451
right ventricular wall motion and, interaction, H254
structure, in left ventricular hypertrophy, H487
thymidine kinase, age-dependent stimulation by growth hormone, H73
transient response, strain gauge, H657
valvar subcoronary aortic stenosis, H780
vascular waterfall, H121
viscoelasticity, left ventricular diastolic mechanics and, H323
Myocytes: *see also* Muscle cells
cylindrical, hypertrophied myocardium, H79
Myoglobin
oxygen pressure, resting skeletal muscle, H307

NADH microreflectometry: *see* Microreflectometry
Nailfold capillaries
blood pressure fluctuations, H888
Nephrectomy
partial, hypertension, H314
Nerve growth factor
cardiac reinnervation and, H624
Nerve stimulation
adrenergic transmission, modulation by angiotensins, mesentery, H211
Nerves
intrinsic, exercise vasodilation and, H705
Neural control
arteriolar closure, H157
heart rate, H35
Neural mechanisms
trachycardia induced by nonhypotensive arteriovenous shunt, H35
Neurogenic hypertension: *see* Hypertension
Neurogenic regulation
vascular resistance after pulmonary artery constriction, H866
Neuronal reuptake blockade: *see* Blockade
Neurons: *see* Cholinergic neurons; Parasympathetic neurons
Neurotransmitters
norepinephrine, overflow from saphenous veins, H263
Newborn
vascular responses, pulmonary and systemic, to prostaglandins E_1 and E_2 (goat), H828
Norepinephrine
adrenergic transmission, modulation by angiotensins, mesentery, H211
aortic contractile response, diabetes, H301
arteriolar closure mediation, hypertension, H157
endogenous, overflow from saphenous veins, measurement, H263
levels, carotid occlusion, H96
microvascular responses, hypertension, H545
oxygenation, resting skeletal muscle, H307
plasma renin activity, control, H463
uptake, nerve growth factor-enhanced reinnervation, cardiac, H624
vascular reactivity, isolated tibia, H904
vascular smooth muscle responses, H613
vasodilation, pressor response, buffering, H165
Normocapnic hypoxia: *see* Hypoxia
Normotension
biventricular hypertrophy, H640
Nuclei
ribonucleic acid polymerases, myocardial, H451
Nucleotides, cyclic
contractile force, heart, H84
Nucleus
vagal, dorsal, subthalamic-mediated bradycardia, H471
Nucleus tractus solitarii
destruction, sinoaortic denervation and, comparison, H736
subthalamic-mediated bradycardia, H471

Occlusion: *see* specific subject and site
Open-loop gain
pentobarbital effects on hypotension after hemorrhage, H607
Operant conditioning: *see* Conditioning
Opsonic activity
reticuloendothelial system isoproterenol-induced myocardial injury, H813
Organ blood flow: *see* Blood flow
Overload
pressure: *see* Pressure overload
Overperfusion
hemodynamic and metabolic adjustments, exercise and shock avoidance, H225
Oxygen
arteriovenous difference, exercise and shock avoidance, H225
content, blood flow, cerebral, Bohr effect (duck), H744
exchange, mesenteric microcirculation, H846
extraction, myocardial, atrial pacing and, H231
pressure, cerebral blood flow, Bohr effect (duck), H744
pressure, myoglobin, resting skeletal muscle, H307
saturation, venous, atrial pacing and, H231
supply, cerebral blood flow, Bohr effect (duck), H744
uptake, intestinal, sympathetic stimulation and partial arterial occlusion, H731
Oxygen consumption
cardiac, and ventricular mechanical energy, model, H498
cardiac, regional, effect of atrial pacing, H231
cerebral, hypotension and, H802
exercise hyperemia, H480
isotonic contraction indices, myocardial, H331
pial arteries, H151
potassium depletion, H480
Oxygenation
skeletal muscle, resting, H307
tissue, mesenteric, H846
Oxygenators, membrane
carbon dioxide priming (sheep), H371
denucleation priming (sheep), H371
platelet losses (sheep), H371
silicone rubber, standard and silica-free, biocompatibility (sheep), H371
standard priming (sheep), H371

Pacing
atrial, inotropy and preload at high heart rate, H568
atrial, oxygen consumption and supply, regional, cardiac, H231

Palmitate
  ^{14}C-labeled, myocardial metabolism, assessment, H644
Papaverine
  bradykinin-induced macromolecular efflux, H600
  hypertension, pre- and postcapillary resistance, hindlimb, H586
  oxygen exchange, mesenteric microcirculation, H846
Papillary muscle: *see* Muscle, heart
Parasympathetic neurons
  preganglionic, choline acetyltransferase activity, cardiac, H620
Peak time measurement
  analog circuitry, H785
Pentobarbital
  hypotension after hemorrhage, H607
  peripheral circulation after hemorrhage, H206
Perfusion: *see* specific subject and site
Perinatal processes: *see* Fetus; Newborn
Peripheral blood flow: *see* Blood flow; Circulation
Peripheral resistance: *see* Resistance
Permeability
  capillary, cardiac lymph, mannitol effects, H112
pH
  acidosis, myocardial, H525
  coronary vein, evaluation of regional myocardial perfusion and ischemia, H385
Phagocytosis
  hepatic, reticuloendothelial system, following isoproterenol-induced myocardial injury, H813
Phase plane analysis
  dye-dilution curves, H796
Phentolamine
  cardiovascular actions of β-phenylethylamine, H592
Phenylephrine
  heart rate, arterial baroreflex control, H42
  vasodilation, pressor response buffering, H165
β-Phenylethylamine
  cardiovascular actions, H592
Phosphatidylcholine
  prostaglandin synthesis, renomedullary, H65
Phospholipase A_2
  prostaglandin synthesis, renomedullary, H65
Phosphorylase
  contractile force, heart, H84
Photometry
  hemorheology, hypofibrinogenemia, H447
Physical exercise: *see* Exercise
Pial arteries
  oxygen consumption, H151
  wall, composition, H151
Placenta
  vascular responses to indomethacin (ovine), H61
Plasma
  constituents: *see* specific constituent
  volume: *see* Volume
Platelets
  losses, silicone rubber membrane oxygenators (sheep), H371
Plethysmography
  pulsed Doppler blood flowmetry and, comparison, H899
Polarography
  myocardial energetics during papillary muscle isometric twitch contractions, H244
Positive end-expiratory pressure: *see* Pressure
Positron emission
  myocardial metabolism, external assessment, H644
Potassium
  cardioplegia, progressive hypothermia during global ischemia, H839
  concentration gradients, cardiac cells, H189
  depletion, exercise hyperemia, H480
  influx, active, cardiac cells, H189
Potentials
  isopotential maps, body surface, H391
  membrane, sodium transport, cardiac cells, H189
  membrane, Purkinje fibers, strophanthidin-induced toxicity, calcium effects, H689
  Purkinje fiber, infarct growth and, H356
  suction electrode, ventricular repolarization, H391
  ventricular muscle, infarct growth and, H356
Potentials, action
  cardiac, automatic duration meter, H183
  Purkinje fibers, tetrodotoxin effects, H561
  right bundle-branch, septal, H379
  tetrodotoxin effects, cardiac conducting system, H561
  transmembrane, arrhythmia vulnerability, H391
  transmembrane, electrocardiographic T wave forms, H391
  transmembrane, ventricular repolarization and, H391
Preganglionic parasympathetic neurons: *see* Parasympathetic neurons
Preload
  inotropy and, at high heart rate, independent effect on cardiac performance, H568
Pressor responses
  buffering, by β-adrenergic and cholinergic vasodilation, H165
  mesenteric artery occlusion, H286
Pressure: *see also* Blood pressure
  arterial, carotid sinus and aortic arch reflexes, H127
  arterial, covariations, H434
  arterial, pentobarbital effects after hemorrhage, H607
  atrial, instantaneous, isovolumic contraction and, H672
  atrial, left, hypoxic and carbon monoxide hypoxia, H22
  capillary, nailfold, fluctuations, H888
  carotid, fixed, cardiovascular responses to aortic nerve stimulation, H769
  circulatory filling, hemorrhage and, H206
  colloid oncotic, right bundle-branch septal model, H379
  end-diastolic, transmural, ventricular function, H534
  esophageal, ventricular function and, H534
  hydrostatic, aortic hydraulic conductivity and, H53
  intramyocardial, myocardial contractility and, H121
  negative, lower body, heart rate and, H42
  positive end-expiratory, ventricular function and, H534
  pulmonary artery, hypoxia, H818
  renal artery, role in renin release with carotid occlusion, H108
  servo-controlled, viscoelasticity, femoral artery, H720
  servo-nulling system, measurement, nailfold capillaries, H888
  systemic, hypoxia, H818
  systolic, peak, alloxan diabetes, H806
  venous, central, effect on arterial baroreflex control of heart rate, H42
  venous, pentobarbital effects after hemorrhage, H607
  ventricular, left, behavioral stress, H750
  ventricular, left, conditional response to shock (monkey) H273
  viscoelastic properties, dependence, femoral artery, H720
Pressure gradient
  valvar subcoronary aortic stenosis, H780
Pressure overload
  chronic, valvar subcoronary aortic stenosis, H780
Pressure-volume diagram
  ventricular wall force and stress, graphical estimation, H787
Pressure-volume loop
  ventricular wall force and stress, H787
Pressure-volume relations
  mechanical energy, ventricle model, and cardiac oxygen consumption, H498
  relaxing ventricle, H494
Priming
  oxygenators: *see* Oxygenators
Probe
  thermistor, myocardial perfusion and heat generation, regional, H345
Procaine hydrochloride
  digoxin-norepinephrine response, vascular smooth muscle, H613
Propranolol
  cardiovascular actions of β-phenylethylamine, H592
  heart rate, arterial baroreflex control, H42
  tachycardia induced by nonhypotensive arteriovenous shunt, H35
  vascular reactivity, isolated tibia, H904
  vasodilation, pressor response buffering, H165
DL-Propranolol
  erythropoiesis, H422
Prostaglandin E
  release, exercise, skeletal muscle, H596
Prostaglandin E_1
  circulatory effects, perinatal (goat), H828
  vascular responses, pulmonary and systemic, perinatal (goat), H828
Prostaglandin E_2
  circulatory effects, perinatal (goat), H828
  vascular responses, pulmonary and systemic, perinatal (goat), H828
  vasodepressor effects, spontaneous hypertension, vagal afferents and, H635
Prostaglandin endoperoxides
  renal vascular and excretory response, H427
Prostaglandins
  plasma epinephrine, control of plasma renin activity and, H854
  synthesis, renomedullary, in spontaneous hypertension, role of phospholipase A_2,

H65
Protein
concentration, lymph, bradykinin-induced macromolecular efflux, H600
Protein kinase
cyclic AMP-dependent, in regulation of heart contractile force, H84
Proteolysis
angiotensin II receptor blockade, hemorrhagic shock, H280
Pulmonary artery
constriction, vascular resistance, humoral regulation, H866
hemodynamics and structure, hypoxia, H818
muscle extension, hypoxia, H818
pressure: *see* Pressure
Pulmonary catabolism
prostaglandins E_1 and E_2, perinatal (goat), H828
Pulmonary circulation: *see* Circulation
Pulmonary edema: *see* Edema
Pulmonary hypertension: *see* Hypertension
Pulmonary vascular response
prostaglandins E_1 and E_2, perinatal (goat), H828
Pulse
output, automatic cardiac action potential duration meter, H183
Pulse wave
pattern, nailfold capillaries, H888
Pulsed Doppler blood flowmetry: *see* Flowmetry
Pump
sodium, electrogenic, cardiac cells, H189
Purine
metabolism, myocardial, H833
Purkinje fibers
electrophysiology, infarct growth, time course, H356
potentials: *see* Potentials
right bundle branch-septal model, H379
strophanthidin toxicity, calcium effects, H689
volumetric measurements, isolated cardiac muscle, H519

R-R interval
high-resolution determination, H894
Racing: *see* Exercise
Radionuclide studies: *see* specific subject and site; *see also* Microspheres
Receptor-reflex system
high-pressure, pentobarbital effects on hypotension after hemorrhage, H607
Receptors
adrenergic, erythropoiesis, H422
β-adrenergic, plasma renin activity, control, H463
α- and β-adrenoceptors, renal, renin release, H580
angiotensin II, blockade, in hemorrhagic shock, H280
atrial, renal effects in heart failure, H554
cardiopulmonary, nucleus tractus solitarii destruction and sinoaortic denervation, comparison, H736
Receptors, baroceptor resetting,
elements, H174
mechanisms, H174
prevention, H174
reduced distensibility, H174
reversal, H174
Receptors, baroreceptors
arterial, nonhypotensive arteriovenous shunt, H35
cardiopulmonary, heart rate control, H42
carotid sinus, in alloxan diabetes, H417
renin release with carotid occlusion, renal arterial pressure and, H108
Red cells: *see* Erythrocytes
volume: *see* Volume, erythrocytes
Reflectometry: *see also* Microreflectometry
microregion, blood flow and volume, brain cortex, H759
Reflexes
baroreceptor, carotid sinus and aortic arch, central interaction, H127
baroceptor resetting, renovascular hypertension, H101
basostatic, mesenteric artery occlusion, H286
cardioacceleratory, nonhypotensive arteriovenous shunt, H35
carotid, hypoxia, hypoxic and carbon monoxide, H22
carotid sinus, alloxan diabetes, H417
carotid sinus, pentobarbital effects after hypotension and hemorrhage, H607
carotid sinus, renovascular hypertension, H101
muscle-heart, cardiac output during isometric exercise, H218
spinovagal, nonhypotensive arteriovenous shunt, H35
vagal, pentobarbital effects after hypotension and hemorrhage, H607
vagovagal, nonhypotensive arteriovenous shunt, H35
vagosympathetic, nonhypotensive arteriovenous shunt, H35
vasodilation, pressor response buffering, H165
Reflexes, baroreflex
aortic, alterations during left aortic nerve stimulation, H769
arterial, heart rate control, effect of central venous pressure, H42
arterial vasodilation, pressor response buffering, H165
carotid, renin release, renal adrenoceptors and, H580
Refractory periods
ventricular, H391
Regional blood flow: *see* Blood flow
Renal hypertension: *see* Hypertension
Renal nerves
plasma epinephrine, control of plasma renin activity and, H854
Renin
plasma activity, circulating catecholamines and, H463
plasma activity, hypertension during antidiuretic hormone and hypotonic saline infusion, H314
plasma activity, plasma epinephrine and, possible extrarenal mechanisms, H854
release, carotid occlusion, renal arterial pressure and, H108
release, renal, carotid baroreflex, H580
renovascular hypertension, H101
Renin-angiotensin system
malignant hypertension, H665
stroke-prone spontaneously hypertensive rats, H409
Renovascular hypertension: *see* Hypertension
Repolarization, ventricular
activation sequence, H391
extrastimulus techniques, H391
relation to T wave-form and arrhythmia vulnerability, H391
Resistance, vascular
coronary, extracorporeal circulation system, H652
hindquarters, salt-induced hypertension (Dahl strain), H48
humoral regulation after pulmonary artery restriction, H866
peripheral, aversive conditioning of elevations, H880
peripheral, covariations in cardiovascular activity, H434
pre- and postcapillary, deoxycorticosterone acetate-sodium chloride hypertension, hindlimb, H586
prostaglandin E release, skeletal muscle exercise, H596
pulmonary, prostaglandins E_1 and E_2, perinatal (goat), H828
renal, dynamic leg exercise (baboon), H141
systemic, prostaglandins E_1 and E_2, perinatal (goat), H828
Resistance vessels
mesenteric, vasopressin effects, H200
Resting conditions
cardiovascular activity, H434
Reticuloendothelial system
function, cardiogenic shock, H813
function, isoproterenol-induced myocardial injury, H813
Rheology
blood, fibrinogen concentrations and, H447
Ribonucleic acid
synthesis, myocardial, in hyperthyroidism, H451
Ribonucleic acid polymerases
initiation sites, myocardial, H451
myocardial, in hyperthyroidism, H451
nuclei, myocardial, H451
template, myocardial, H451
transcription, myocardial, H451

Salbutamol
erythropoiesis, H422
stimulation of arteriolar number in spontaneous hypertension, H134
Saline
hypotonic, infusion, hypertension, H314
infusion, inotropy and preload at high heart rate, independent cardiac effects, H568
Salt
appetite, malignant hypertension, H665
hypertension: *see* Hypertension
loading, stroke-prone spontaneously hypertensive rats, H409
Saphenous veins
norepinephrine overflow, measurement, H263
[Sar^1-Ala^8]angiotensin II: *see* Angiotensin antagonists
Saralasin: *see* Angiotensin antagonists
[Sar^1-Ile^8]angiotensin II: *see* Angiotensin II
Seizure
epileptic: *see* Epileptic seizure
Septum, heart: *see* Heart septum
Series elasticity: *see* Elasticity
Servo-control
pressure, viscoelasticity and, femoral artery, H720
Servo-nulling system
pressure measuring, nailfold capillaries, H888

Shock
  avoidance, hemodynamic adjustments, H225
  avoidance, metabolic adjustments, H225
  cardiogenic, reticuloendothelial system function, H813
  conditional cardiovascular response before and after coronary occlusion (monkey), H273
  endotoxin, blood volume, actively circulating, indicator-dilution measurement, H291
  free fatty acid turnover, cerebrospinal fluid, during hypotension, H802
  hemorrhagic, angiotensin II receptor blockade by [Sar^1-Ala^8]angiotensin II, H280
  hemorrhagic, solute mixing, impaired, H440
Shunt, arteriovenous
  biventricular hypertrophy, normotensive, H640
  heart failure, model, H698
  left ventricular hypertrophy, H487
  nonhypotensive, neural mechanisms in tachycardia, H35
Shunting
  microspheres, across coronary circulation, H7
Silicone rubber oxygenators: *see* Oxygenators
Sinoaortic denervation
  hypertension: *see* Hypertension
  nucleus tractus solitarii destruction and, comparison, H736
Skeletal muscle: *see* Muscle, skeletal
Smooth muscle: *see* Muscle, smooth
Sodium
  concentration gradients, cardiac cells, H189
  conductance, background, tetrodotoxin effects, heart, H561
  conductance, rapid, tetrodotoxin effects, heart, H561
  depletion, renin release with carotid occlusion, H108
  depletion, renovascular hypertension, H101
  diet, high and low, renin release with carotid occlusion, H108
  efflux, active, cardiac cells, H189
  electrogenic pump: *see* Pump
  plasma, sinoaortic denervation hypertension, H92
  transport, active, intact cardiac cells, H189
Sodium chloride
  atrial tension, H629
  malignant hypertension, H665
Sodium space
  hypertension during antidiuretic hormone and hypertonic saline infusion, H314
Solutes
  dispersion, after hemorrhagic shock, H440
  mixing, impaired, after hemorrhagic hypotension, H440
Species differences
  erythrocytes, deformability (camel, llama, goat, seal), H725
Spinal afferents
  nonhypotensive arteriovenous shunt, H35
Spinal section
  tachycardia induced by nonhypotensive arteriovenous shunt, H35
Spinovagal reflex: *see* Reflexes
Splanchnic blood flow: *see* Blood flow
Spleen
  circulation: *see* Circulation
  erythrocyte concentration mechanism, inhibition by isoproterenol, H238
  β-phenylethylamine and, H592
Splenectomy
  blood volume, active, in endotoxin shock, H291
Spontaneous hypertension: *see* Hypertension
Stellate ganglion
  contractile strength, right atrial, H860
  stimulation, myocardial adenosine formation, H13
Stenosis
  aortic, fiber orientation, left ventricular hypertrophy, H487
  aortic valvar, subcoronary, H780
Step response
  determination from frequency response, fluid-filled catheters, H376
Strain gauge
  high-frequency, low impedance, new, H657
Strain transducer: *see* Transducers
Stress
  behavioral, cardiac changes, H750
  hemodynamic and metabolic adjustments, H225
  hypertrophy: *see* Hypertrophy
  immobilization, sympathoadrenal response in spontaneous hypertension, H457
  wall: *see* Wall stress, and the specific site
Stroke proneness
  spontaneous hypertension, renin-angiotensin system in, H409
Stroke volume: *see* Volume
Stroke work
  hypoxic and carbon monoxide hypoxia, H22
Strontium-85
  microspheres, bone blood flow measurement, H1
Strophanthidin
  toxicity, Purkinje fibers, calcium effects, H689
Subendocardium
  infarct: *see* Infarction
  oxygen consumption and supply, atrial pacing effects, H231
  perfusion and heat generation, thermal quantification, H345
Subepicardium
  oxygen consumption and supply, atrial pacing effects, H231
Subthalamic lateral zona incerta
  bradycardia mediation, H471
Sucrose
  atrial tension, H629
Suction electrode potentials: *see* Potentials
Superfusate
  norepinephrine overflow from saphenous veins, measurement, H263
Superfusion
  right bundle branch-septal model, H379
Surface ultraviolet microreflectometry: *see* Microreflectometry
Sympathetic activity
  carotid occlusion, H96
Sympathetic discharge
  mesenteric artery occlusion, H286
Sympathetic efferents
  cardiac, tachycardia induced by nonhypotensive arteriovenous shunt, H35
Sympathetic ganglions
  blockade, peripheral circulation after hemorrhage, H206
Sympathetic nerves
  blood flow, cerebral, H549
  multichannel telemetry system, H513
  stimulation, salt-induced hypertension, prevention (Dahl strain), H48
  vascular reactivity, isolated tibia, H904
Sympathetic-parasympathetic interaction
  contractile strength, right atrial, H860
Sympathetic stimulation
  oxygen uptake, intestinal, H731
Sympathetic tone
  mesenteric artery occlusion, H286
Sympathoadrenal discharge
  heart failure, arteriovenous shunt, H698
Sympathoadrenal responses
  immobilization stress in spontaneous hypertension, H457
Sympathomimetic amines: *see* Amines
Synaptic sprouting
  choline acetyltransferase activity, cardiac, H620
  vagotomy, H6620
Systemic pressure: *see* Pressure; Blood pressure
Systemic vessels
  responses to prostaglandins E_1 and E_2, perinatal (goat), H828
Systems analyses: *see* specific subject and site; *see also* Models
Systolic pressure: *see* Pressure

T wave form
  ventricular repolarization and, H391
Tachycardia
  nonhypotensive arteriovenous shunt, neural mechanisms, H35
^{99m}Technetium pyrophosphate
  bone clearance, H1
Telemetry
  multichannel system, for recording cardiovascular neural signals, H513
Temperature, body
  bone blood flow responses, H1
  transmural distribution, myocardial, quantification, H345
Tension
  muscle: *see* Muscle
Tethering system
  cardiovascular function measurement, (caged baboon), H775
Tetrodotoxin
  action potentials, cardiac conducting system, H561
Theophylline
  strophanthidin toxicity, Purkinje fibers, H689
Thermal quantification
  regional myocardial perfusion and heat generation, H345
Thermistor probe
  regional myocardial perfusion and heat generation, H345
Thymidine kinase
  myocardial, age-dependent stimulation by growth hormone, H73
Tibia
  isolated, vascular reactivity, H904
Tissue
  hemodilution curves: *see* Hemodilution
  oxygenation: *see* Oxygenation, and the specific site
Toxicity

strophanthidin, Purkinje fibers, calcium effects, H689
Trabecula
ventricular volume measurement, H506
Tranquilization
vasodilation, pressor response buffering, H165
Transducers
electromagnetic flow, calibration (baboon), H508
electromagnetic flow, chronically implanted, sensitivity to (baboon), H508
strain, epicardial, H657
strain, high-frequency, low impedance, new, H657
Transit time analysis
microregional, brain cortex, reflectometry, H759
phase plane, of dye-dilution curves, H796
Transmembrane potentials: *see* Potentials
Transmission
adrenergic, angiotensins and, mesentery, H211
Treadmill exercise: *see* Exercise
Triiodothyronine
ribonucleic acid syntheses and endogenous polymerases, myocardial, in hyperthyroidism, H451
Tyramine
aortic contractile response, diabetes and, H301
salt-induced hypertension, prevention (Dahl strain), H48
Tyrode solution
perfusion, right bundle branch-septal model, H379

Ultrasonic attenuation
ischemic injury, myocardial, H340
Ultrasonic flowmetry: *see* Flowmetry
Ultrasonic micrometer: *see* Micrometer
Ultrasonic technique
inotropy and preload at high heart rate, independent cardiac effects, H568
Ultraviolet microreflectometry: *see* Microreflectometry
Urea
atrial tension, H629

Vagal afferents
nonhypotensive arteriovenous shunt, H35
vasodepressor effects of prostaglandin E_2 in spontaneous hypertension, H635
Vagal efferents
nonhypotensive arteriovenous shunt, H35
Vagal fibers
afferent, nucleus tractus solitarii destruction, H736
afferent, sinoaortic denervation, H736
Vagal nucleus
dorsal, subthalamic-mediated bradycardia, H471
Vagal reflex: *see* Reflexes
Vagosympathetic reflex: *see* Reflexes
Vagotomy
choline acetyltransferase activity, cardiac, H620
nonhypotensive arteriovenous shunt, H35
vasodepressor effects of prostaglandin E_2 in spontaneous hypertension, H635
Vagovagal reflex: *see* Reflexes
Vagus nerve
contractile strength, right atrial, H860
stimulation, subthalamic-mediated bradycardia, H471
Vascular compliance: *see* Compliance
Vascular lesions
malignant hypertensive, sodium chloride effects, H665
Vascular reactivity
tibia, isolated, H904
Vascular resistance: *see* Resistance
Vascular response
peripheral, hemorrhage, H206
placental, indomethacin (ovine), H61
pulmonary, hypoxia, H818
renal, prostaglandin endoperoxides, H427
Vascular smooth muscle: *see* Muscle, smooth, vascular
Vascular waterfall
myocardial, H121
Vasoactive substance
vagally mediated responses to prostaglandin E_2 in spontaneous hypertension, H635
Vasoconstrictor response
mesenteric, vasopressin, H200
Vasodepression
vagally mediated response to prostaglandin E_2 in spontaneous hypertension, H635
Vasodepressors
prostaglandins E_1 and E_2, pulmonary and systemic responses, perinatal (goat), H828
Vasodilation
active reflex, pressor response buffering, H165
β-adrenergic, pressor response buffering, H165
cholinergic, pressor response buffering, H165
exercise hyperemia and potassium depletion, H480
exercise, nerves and metabolites, contributions, H705
functional, nerves and metabolites in, H705
peripheral, pressor response buffering, H165
prolonged, prostaglandin E release, skeletal muscle exercise, H596
sustained phasic contraction, H705
Vasodilators
metabolic, myocardial, H13
metabolite: *see* Metabolites
Vasopressin: *see also* Antidiuretic hormone
infusion, hypertension, H314
mesenteric vasoconstrictor response, hypophysectomy and saralasin effects, H200
Veins
small, norepinephrine effects in hypertension, H545
Venous occlusion
blood pressure fluctuations, nailfold capillaries, H888
Venous pressure: *see* Pressure
Ventricles: *see* Heart ventricles; Brain
Venular capillary limb
blood pressure fluctuations, nailfold, H888
Verapamil
digoxin-norepinephrine response, vascular smooth muscle, H613
Vinblastine
thymidine kinase activity, myocardial, H73
Viscoelasticity
low-frequency, femoral artery, H720
myocardial, left ventricular diastolic mechanics and, H323
pressure-dependent, femoral artery, H720
Viscometry
hemorheology of hypofibrinogenemia, H447
Volume: *see also* Blood volume
atrial, isovolumic contraction and, H672
cardiac muscle, isolated, measurement, H519
erythrocytes, sinoaortic denervation hypertension, H92
plasma, sinoaortic denervation hypertension, H92
stroke, covariations in cardiovascular activity, H434
stroke, high heart rate and, inotropy and preload effects, H568
stroke, hypoxic and carbon monoxide hypoxia, H22
ventricular, absolute, measurement, H506
ventricular, high heart rate and, inotropy and preload effects, H568
ventricular, measurement by intraventricular balloon, H506
Volume-axis intercept
isovolumic contraction and, right atrium, H672

Wall
arterial: *see* Arterial wall and the specific artery
Wall force
isopleth, H787
ventricular, estimation from pressure-volume diagram, H787
Wall motion
right ventricular, hemodynamic alterations, H254
Wall stress
ventricular, estimation from pressure-volume diagram, H787
Water
balance, renovascular hypertension, H101
extracellular, hypertrophied myocardium, H79
Weight
heart, exercise-induced hypertrophy, H268
ratio, left ventricle/body, in hypertrophy, H487
Work: *see also* Exercise
displacement, strain gauge, H657
heart: *see* Heart
mechanical, relaxing ventricle, H494
stroke: *see* Stroke work

Xenon
clearance, blood flow, cerebral (duck), H744
Xenon-133
intracarotid injection, cerebral blood flow estimates, scattering, H680

Zona incerta
subthalamic lateral, bradycardia mediation, H471

INDEX

Author Index to Volume 5

Abboud, F. M., H42
Abel, F. L., H785
Albala, A., H356
Alexander, N., H92, H96
Ali, M., H112
Allard, J. R., H780
Amos, E. C., III, H873
Anderson, D., H61
Anderson, D. E., H434, H880
Anderson, R. W., H323
Anliker, M., H888
Arbel, E. R., H379
Arfors, K. E., H600
Astley, C. .A, H508
Aung-Din, R., H218

Barger, A. C., H101, H108, H463, H854
Bashour, F. A., H7
Beckman, B., H422
Bennett, T. D., H291
Bergmann, P., H1
Bergmann, S. R., H644
Berne, R. M., H13, H833
Berssenbrugge, A., H61
Bhatnagar, R. K., H866
Bishop, V. S., H769
Blackshear, P. L., H53
Blattler, W., H447
Boatwright, R. B., H7
Bohlen, H. G., H157
Bollinger, A., H888
Bove, A. A., H254
Brady, J. V., H273
Brody, M. J., H48
Burgess, M. J., H391
Byrd, L. D., H775

Campbell, W. B., H211
Cannon, P. J., H427
Carew, T. E., H487
Carr, F. K., H813
Case, R. B., H29
Cassin, S., H828
Celsis, P., H680
Charlet, J.-P., H680
Chen, D.-S., H635
Child, R. K., H183
Clark, D. P., H698
Clark, R. E., H644
Clarke, L. K., H750
Coburn, R. F., H307
Coleman, T. G., H206, H314
Cooper, G., IV, H244
Cooper, J. D., H371
Coraboeuf, E., H561
Coulombe, A., H561
Covell, J. W., H487
Cox, R. H., H790
Crayton, S. C., H218
Crystal, G. J., H7

Deroubaix, E., H561
Detweiler, K. K., H790
DiPette, D. J., H613
Donald, D. E., H580, H635
Douglas, A. M., H873
Downey, H. F., H7
Downey, J., H121
Downing, S. E., H417
Driessens, M., H904

Duffin, J., H371
Dunn, F. G., H640
Dusseau, J. W., H134

Eberhart, R. C., H345
Ebert, P. A., H79
Eckberg, D. L., H42
Edwards, C. H., II, H323
Eiring, A., H84
Eke, A., H759
Ellis, A., H112
Epstein, M. A. F., H894
Epstein, R. A., H894
Evans, J. M., H165

Fabian, M., H345
Fahri, E. R., H854
Farrell, K. J., H846
Feintuch, J. J., H813
Felix, A., H29
Fenoglio, J. J., Jr., H356
Ferguson, J. L., H802
Ferrone, R. A., H403
Fisher, J. W., H422
Fitzgerald, R. S., H22
Fixler, D. E., H218
Flaherty, J. T., H839
Flaim, S. F., H613, H698
Foley, D. H., H13, H833
Fonseca-Costa, A., H798
Fountain, S. W., H371
Freeman, A. R., H519
Friedman, P. L., H356
Fritschka, E., H802
Frohlich, E. D., H403, H640
Fujita, T., H409

Galosy, R. A., H750
Gamble, W., H818
Genest, J., H665
Gervais, A., H873
Ghaem, A., H899
Gilbert, R. D., H22
Gilmore, J. P., H554
Glantz, S. A., H376
Glick, G., H112, H379
Glitsch, H. G., H189
Goldman, R. A., H839
Gott, V. L., H839
Greenway, C. V., H238
Grega, G. J., H600
Gross, D. M., H422
Grubb, B., H744
Gupta, P. D., H35
Guyton, A. C., H314

Hamilton, R. B., H471
Hammons, G. T., H268
Harris, P. D., H545
Hasson, D. M., H273
Hazeyama, Y., H480
Heistad, D. D., H549
Hendriks, F. F. A., H652
Hernandez, E. J., H345
Hickson, R. C., H268
Hoffman, J. I. E., H780
Hoffman, J. K., H345
Hofmann, V., H577
Hohimer, A. R., H141, H508
Holloszy, J. O., H268
Homer, L. D., H440

Honig, C. R., H705
Horak, G. S., H447
Hosomi, H., H607
Houser, S. R., H519
Hughes, M. J., H629
Hutchins, P. M., H134
Hutiray, G., H759

Ilebekk, A., H568
Intaglietta, M., H888

Jackson, E. K., H211
Jacobs, S., H79
Jeanneret, C., H447
Jester, J. A., H79
Johnson, M. D., H463, H854
Jones, J. H., H744
Joshua, I. G., H545

Karagueuzian, H. S., H356
Kaufman, M. P., H471
Kaye, M. P., H624
Keely, S. L., H84
Kendrick, J. E., H127
Kiil, F., H568
Kintner, K., H846
Klocke, F. J., H385
Knapp, C. F., H165
Kontos, H. A., H151
Kopin, I. J., H457
Kovách, A. G. B., H759
Krieger, A. J., H174
Kroll, K., H652
Kvetnansky, R., H457

Lab, M. J., H183
Lake, C. R., H457
Lalley, P. M., H127
Lambert, C. R., H331
Langer, A. W., H225
Langer, G. A., H525
Lau, V.-K., H672
Laubie, M., H736
Law, H. F., H894
Lee, J. C., H417
Lefer, A. M., H280
Leffler, C., H828
Levy, B. I., H899
Levy, M. N., H860
Liang, C.-S., H592
Liedtke, A. J., H657
Limas, C., H65
Limas, C. J., H65, H73, H451
Lin, C. I., H689
Ling, D., H323
Loegering, D. J., H813
Lowery, T. R., H165
Lund, D. D., H620, H866

Mageli, J., H385
Mahler, F., H888
Manning, R. D., Jr., H314
Marcus, M. L., H549
Marc-Vergnes, J.-P., H680
Mark, A. L., H42, H48
Martin, B. A., H371
Martineaud, J. P., H899
Matisoff, D. N., H417
Matson, G. L., H127
Mavroudis, C., H79
McCaa, R. E., H314

McCarty, R., H457
McCleary, M., H286
McCubbin, J. .A, H225
McHale, P. A., H323
McNamara, R. F., H866
McNeill, J. R., H200
Meier, G. D., H254
Miettinen, O. S., H818
Miller, F. N., H545
Miller, J. G., H340
Miller, M. M., H568
Miller, T. B., Jr., H808
Miller, W. L., H833
Mimbs, J. W., H340
Minteer, W. J., H698
Mitchell, J. H., H218, H750
Mobley, W. P., H846
Mohandas, N., H725
Morff, R. J., H545
Moyer, T. P., H263
Muheim, M. H., H888
Muldoon, S. M., H263
Murray, R. H., H291

Nadas, A. S., H818
Nagaoka, A., H409
Nakazawa, H. K., H385
Navari, R. M., H151
Nellis, S. H., H657, H698
Ninomiya, I., H513
Nishiura, N., H513
Nishiyama, K., H640
Nordlicht, S. M., H385

Obrist, P. A., H225
O'Donnell, M., H340
Oliver, J. A., H427
Oliveros, R. A., H385
O'Neill, M. J., Jr., H780
Orlick, A. E., H385
Osada, H., H371

Pang, C. C. Y., H200
Patterson, J. L., Jr., H151
Pendleton, M., H307
Peterson, D. F., H769
Petrik, G. K., H471
Pfeffer, J. M., H640
Pfeffer, M. A., H640
Phernetton, T., H61
Pick, R., H112, H379
Poole-Wilson, P. A., H525
Posner, P., H331
Powis, D. A., H580
Prabhu, R., H379
Prewitt, R. M., H534
Pribyl, J. G., H53
Przala, F., H422

Queiroz, F. P., H665

Rabinovitch, M., H818
Ramesh, V., H379
Randall, D. C., H273
Rankin, J. H. G., H61
Rankin, J. S., H323
Rau, E. E., H873
Raymond, R. M., H600
Reid, L., H818
Roberts, D. L., H385
Roberts, L. A., H629

Rocchini, A. P., H101, H108
Rojo-Ortega, J. M., H665
Romero, J. C., H635
Rorie, D. K., H263
Roskoski, R., Jr., H620
Rothe, C. F., H291
Rubio, R., H13, H833

Sagawa, K., H434, H506, H607, H672, H787
Samar, R. E., H206
Santamore, W. P., H254
Sapru, H. N., H174
Schaff, H. V., H839
Scharf, S. M., H22
Schipperheyn, J. J., H652
Schmid, P. G., H620, H866
Schmidt, J. A., H866
Schmidt-Nielsen, K., H744
Schmitt, H., H736
Schneiderman, N., H471
Schoutens, A., H1
Sciacca, R. R., H427
Sekovski, B., H385
Sevin, A., H680
Share, L., H554
Shepherd, A. P., H731
Shibota, M., H409
Shier, D. N., H463
Shine, K. I., H873
Shino, A., H409
Shohet, S. B., H725
Siegel, J. H., H345
Singh, M., H35
Sipkema, P., H720
Small, A., H440
Smith, J. E., H725
Smith, O. A., H141, H508
Sobel, B. E., H340, H644
Sparks, H. V., H301, H480, H596
Spelman, F. A., H508
Spitzer, J. J., H802
Sprecher, D., H592
Stephenson, R. B., H508
Stinnett, H. O., H769
Straub, P. W., H447, H577
Stuesse, S. L., H860
Suga, H., H494, H498, H506, H672, H787
Sullivan, S., H301
Svensjö, E., H600
Sylvester, J. T., H22

Takeshita, A., H42, H48
Thoa, N. B., H457
Trachte, G. J., H280
Traystman, R. J., H22
Trimble, J., H121
Troen, B. R., H854
Tsuchiya, M., H403, H640
Tuttle, R. S., H286
Tyberg, J. V., H376
Tyce, G. M., H263, H624
Tyler, T., H828

Valladares, W. R., H899
Vanhoutte, P. M., H904
Vargas, C. B., H53
Vargas, F. F., H53
Vassalle, M., H689
Velasquez, M. T., H96
Verhas, M., H1
Vogt, A., H577

Wachter, M., H29
Wallach, J. H., H471
Wallick, D. W., H860
Wallis, R., H828
Walsh, G. M., H403
Ward, C. A., H371
Watkinson, W. P., H13
Wei, E. P., H151
Weiss, H. R., H231
Wells, D. J., H624
Wiegman, D. L., H545
Wilcox, W. C., H200
Wit, A. L. H356
Witte, C. L., H846
Witte, M. H., H846
Wood, L. D. H., H534

Yingling, J. E., H434, H880
Yonezawa, Y., H513
Young, E. W., H596

Zin, W. A., H798
Zucker, I. H., H554

American Journal of Physiology: Heart and Circulatory Physiology

VOLUME 5, January–June 1979

Editor: M. N. LEVY

Associate Editors:

L. L. HEFNER	R. A. OLSSON	B. E. SOBEL
P. MARTIN	K. SAGAWA	M. VASSALLE

Editorial Board:

F. M. ABBOUD	L. S. GETTES	E. M. RENKIN
N. ALEXANDER	G. GLICK	C. F. ROTHE
E. O. ATTINGER	R. W. GORE	A. SCHWARTZ
R. M. BERNE	H. A. HOLMSEN	J. B. SCOTT
V. S. BISHOP	H. D. ITSKOVITZ	S. S. SHAPIRO
S. CASSIN	A. J. JONES	H. V. SPARKS
S. CHIEN	P. G. KATONA	N. SPERELAKIS
R. H. COX	P. KEZDI	A. E. TAYLOR
V. H. DONALDSON	H. A. KONTOS	J. V. TYBERG
S. E. DOWNING	A. M. LEFER	J. URQUHART
M. L. ENTMAN	R. A. MURPHY	T. C. WEST
J. J. FABER	S. OPARIL	W. J. WHALEN
C. M. FERRARIO	H. P. PIEPER	A. L. WIT
G. R. FERRIER	G. H. POLLACK	R. H. ZAK
E. D. FROHLICH	D. V. PRIOLA	J. E. ZEHR
G. L. GEBBER	H. M. RANNEY	M. B. ZUCKER

Publications Committee of the American Physiological Society

A. P. FISHMAN, *Chairman*
R. W. BERLINER
R. M. BERNE

S. R. GEIGER
Publications Manager and Executive Editor

B. B. RAUNER
Production Manager

W. A. SONNENBERG
Business Manager

E. R. MEYERS
Copy Editor

Published monthly by
THE AMERICAN PHYSIOLOGICAL SOCIETY
9650 Rockville Pike, Bethesda, MD 20014

Copyright © 1979 by the American Physiological Society. Printed in the United State of America by Waverly Press, Inc., Baltimore, MD 21202. The code at the bottom of the first page of an article indicates the copyright owner's consent that copies of an article may be made beyond that permitted by sections 107 and 108 of the U.S. Copyright Law—unless the copies are for general distribution, for advertising, for creating new works, or for resale—provided the per-copy fee is paid through the Copyright Clearance Center, Inc., Operations Center, P.O. Box 765, Schenectady, NY 12301.

Guest Referee Editors

The Publications Committee of the American Physiological Society gratefully acknowledges the services of the following guest referee editors who assisted the Editorial Board in the reviews of manuscripts.

N. R. Alpert
D. E. Anderson
T. W. Anderson
R. J. Bache
P. Baer
K. W. Ballard
K. Barnes
J. B. Bassingthwaighte
S. R. Bergmann
H. R. Besch
C. P. Bianchi
O. H. L. Bing
L. S. Birks
C. M. Bloor
D. F. Bohr
J. F. Brady
K. L. Brigham
B. Bromberger-Barnea
H. L. Brooks
A. M. Brown
G. D. Buckberg
S. M. Cain
D. Carlson
G. Chesolm
G. Clark
D. H. Cohen
N. P. Couch
J. W. Covell
D. L. Davis
J. O. Davis
R. Detar
N. S. Dhalla
T. C. Donald III
J. M. Downey
B. R. Duling
M. J. Dunn
D. Eckberg
E. E. Eddleman, Jr.
N. Edelman
A. Fabiato
E. O. Feigl
W. Flamenbaum
J. E. Fletcher
J. D. Folts
D. W. Frederiksen
E. Fronek
D. L. Fry
C. E. Ganote
W. Ganz
W. J. George
K. L. Goetz
J. C. Greenfield
D. M. Griggs
W. Grossman
G. R. Hageman
B. Hamrell
D. D. Heistad
P. Henry
C. R. Honig
S. M. Horvath
D. C. Hurst
J. Ingwall
D. M. Jacobowitz
W. E. Jacobus
R. B. Jennings
J. A. Johnson
R. Jones
W. L. Joyner
M. B. Kardon
A. M. Katz
K. M. Kent
A. C. Kirby
W. Klip
M. Kumada
G. A. Langer
K. F. Lanoue
K. B. Larson
R. S. Lees
R. J. Lefkowitz
M. J. Legato
E. Lepeschkin
M. Lesch
C. Liang
A. J. Liedtke
L. D. Longo
J. A. Mantle
P. R. Maroko
R. Martin
G. D. Massaro
H. G. McDaniel
J. R. Mitchell
W. Mitzner
G. K. Moe
E. N. Moore
S. Moore
M. Morad
J. R. Neely
P. A. Nicoll
A. Noordergraaf
D. G. Pace
E. Page
A. J. Pappano
S. Permutt
W. J. Powell, Jr.
D. C. Randall
W. C. Randall
T. J. Regan
K. A. Reimer
D. Reneau
D. Reynolds
C. R. Roe
W. Rosenblum
M. J. Rovetto
R. Rubio
A. M. Scher
J. Scheuer
D. J. Schneck
R. W. Schrier
L. Share
W. E. Shell
A. P. Shepherd, Jr.
A. A. Shoukas
E. E. Smith
O. A. Smith
L. Sokoloff
J. F. Spann, Jr.
J. F. Spear
H. L. Stone
A. A. Taylor
R. E. TenEick
M. D. Thames
W. G. Walker
D. O. Wangensteen
A. M. Watanabe
M. L. Weisfeldt
C. A. Wiederhielm
J. R. Williamson
S. Winegrad
J. M. Wood
F. Yatsu
F. Yin
K. L. Zierler
H. Zieske
D. Zipes

American Journal of Physiology:
Heart and Circulatory Physiology

No. 1. JANUARY 1979

Bone blood flow measured by ^{85}Sr microspheres and bone seeker clearances in the rat
A. Schoutens, P. Bergmann, and M. Verhas H1

Shunting of microspheres across the canine coronary circulation
G. J. Crystal, R. B. Boatwright, H. F. Downey, and F. A. Bashour H7

Myocardial adenosine formation with increased cardiac performance in the dog
W. P. Watkinson, D. H. Foley, R. Rubio, and R. M. Berne H13

Hypoxic and CO hypoxia in dogs: hemodynamics, carotid reflexes, and catecholamines
J. T. Sylvester, S. M. Scharf, R. D. Gilbert, R. S. Fitzgerald, and R. J. Traystman H22

Measurement of myocardial Pco_2 with a microelectrode: its relation to coronary sinus Pco_2
R. B. Case, A. Felix, and M. Wachter H29

Neural mechanism underlying tachycardia induced by nonhypotensive a-v shunt
P. D. Gupta and M. Singh H35

Effect of central venous pressure on arterial baroreflex control of heart rate
A. Takeshita, A. L. Mark, D. L. Eckberg, and F. M. Abboud H42

Prevention of salt-induced hypertension in the Dahl strain by 6-hydroxydopamine
A. Takeshita, A. L. Mark, and M. J. Brody H48

Hydraulic conductivity of the endothelial and outer layers of the rabbit aorta
C. B. Vargas, F. F. Vargas, J. G. Pribyl, and P. L. Blackshear H53

Ovine placental vascular responses to indomethacin
J. H. G. Rankin, A. Berssenbrugge, D. Anderson, and T. Phernetton H61

Enhanced renomedullary prostaglandin synthesis in spontaneously hypertensive rats: role of a phospholipase A_2
C. Limas and C. J. Limas H65

Age-dependent stimulation by growth hormone of myocardial thymidine kinase
C. J. Limas H73

Extracellular space, water, and ion concentration in the hypertrophied rat myocardium
C. Mavroudis, J. A. Jester, S. Jacobs, and P. A. Ebert H79

Involvement of cAMP-dependent protein kinase in the regulation of heart contractile force. II
S. L. Keely and A. Eiring H84

Plasma volumes and hematocrits in rats with chronic sinoaortic denervation hypertension
N. Alexander H92

Plasma and lymph dopamine-β-hydroxylase and norepinephrine during carotid occlusion
M. T. Velasquez and N. Alexander H96

Renovascular hypertension in sodium-depleted dogs: role of renin and carotid sinus reflex
A. P. Rocchini and A. C. Barger H101

Renin release with carotid occlusion in the conscious dog: role of renal arterial pressure
A. P. Rocchini and A. C. Barger H108

Effects of hypertonic mannitol on cardiac lymph in nonischemic myocardium
M. Ali, A. Ellis, R. Pick, and G. Glick H112

Contribution of myocardial contractility to myocardial perfusion
J. Trimble and J. Downey H121

Central interaction between the baroreceptor reflexes from the carotid sinus and aortic arch
J. E. Kendrick, G. L. Matson, and P. M. Lalley H127

Stimulation of arteriolar number by salbutamol in spontaneously hypertensive rats
J. W. Dusseau and P. M. Hutchins H134

Decreased renal blood flow in the baboon during mild dynamic leg exercise
A. R. Hohimer and O. A. Smith H141

Oxygen consumption of pial arteries
R. M. Navari, E. P. Wei, H. A. Kontos, and J. L. Patterson, Jr. H151

Arteriolar closure mediated by hyperresponsiveness to norepinephrine in hypertensive rats
H. G. Bohlen H157

Pressor response buffering by β-adrenergic and cholinergic vasodilation in tranquilized dogs
J. M. Evans, C. F. Knapp, and T. R. Lowery H165

Role of receptor elements in baroceptor resetting
H. N. Sapru and A. J. Krieger H174

SPECIAL COMMUNICATIONS

An automatic cardiac action potential duration meter
M. J. Lab and R. K. Child H183

No. 2. FEBRUARY 1979

REVIEW: CARDIAC ELECTROPHYSIOLOGY

Characteristics of active Na transport in intact cardiac cells
H. G. Glitsch H189

Hypophysectomy and saralasin on mesenteric vasoconstrictor response to vasopressin
C. C. Y. Pang, W. C. Wilcox, and J. R. McNeill H200

Whole-body response of the peripheral circulation following hemorrhage in the rat
R. E. Samar and T. G. Coleman H206

Modulation of adrenergic transmission by angiotensions in the perfused rat mesentery
W. B. Campbell and E. K. Jackson H211

Distribution of cardiac output during induced isometric exercise in dogs
S. C. Crayton, R. Aung-Din, D. E. Fixler, and J. H. Mitchell H218

Hemodynamic and metabolic adjustments during exercise and shock avoidance in dogs
A. W. Langer, P. A. Obrist, and J. A. McCubbin H225

Regional oxygen consumption and supply in the dog heart: effect of atrial pacing
H. R. Weiss H231

Splenic erythrocyte concentration mechanism and its inhibition by isoproterenol
C. V. Greenway H238

Myocardial energetics during isometric twitch contractions of cat papillary muscle
G. Cooper IV H244

Effect of hemodynamic alterations on wall motion in the canine right ventricle
W. P. Santamore, G. D. Meier, and A. A. Bove H254

Measurement of endogenous norepinephrine overflow from canine saphenous veins
S. M. Muldoon, G. M. Tyce, T. P. Moyer, and D. K. Rorie H263

Development and regression of exercise-induced cardiac hypertrophy in rats
R. C. Hickson, G. T. Hammons, and J. O. Holloszy H268

Conditional cardiovascular response to shock before and after coronary arterial occlusion
D. C. Randall, D. M. Hasson, and J. V. Brady H273

Effect of angiotensin II receptor blockade by [Sar¹-Ala⁸]angiotensin II in hemorrhagic shock
G. J. Trachte and A. M. Lefer H280

Inferior cardiac nerve activity in the cat during occlusion of the mesenteric artery
R. S. Tuttle and M. McCleary H286

Actively circulating blood volume in endotoxin shock measured by indicator dilution
C. F. Rothe, R. H. Murray, and T. D. Bennett H291

Diminished contractile response of aortas from diabetic rabbits
S. Sullivan and H. V. Sparks H301

Effects of norepinephrine on oxygenation of resting skeletal muscle
R. F. Coburn and M. Pendleton H307

Hypertension in dogs during antidiuretic hormone and hypotonic saline infusion
R. D. Manning, Jr., A. C. Guyton, T. G. Coleman, and R. E. McCaa H314

Regional diastolic mechanics of the left ventricle in the conscious dog
D. Ling, J. S. Rankin, C. H. Edwards II, P. A. McHale, and R. W. Anderson H323

Indices of myocardial oxygen consumption for isotonic contraction
C. R. Lambert and P. Posner H331

Changes in ultrasonic attenuation indicative of early myocardial ischemic injury
J. W. Mimbs, M. O'Donnell, J. G. Miller, and B. E. Sobel H340

Thermal quantification of regional myocardial perfusion and heat generation
E. J. Hernandez, J. K. Hoffman, M. Fabian, J. H. Siegel, and R. C. Eberhart H345

Time course of infarct growth toward the endocardium after coronary occlusion
J. J. Fenoglio, Jr., H. S. Karagueuzian, P. L. Friedman, A. Albala, and A. L. Wit H356

SPECIAL COMMUNICATIONS

Biocompatibility of standard and silica-free silicone rubber membrane oxygenators
S. W. Fountain, J. Duffin, C. A. Ward, H. Osada, B. A. Martin, and J. D. Cooper H371

Determination of frequency response from step response: application to fluid-filled catheters
S. A. Glantz and J. V. Tyberg H376

A perfused canine right bundle branch–septal model for electrophysiological studies
E. R. Arbel, R. Prabhu, V. Ramesh, R. Pick, and G. Glick H379

Evaluation of regional myocardial perfusion and ischemia from coronary venous blood
D. L. Roberts, H. K. Nakazawa, S. M. Nordlicht, B. Sekovski, J. Mageli, R. A. Oliveros, A. E. Orlick, and F. J. Klocke H385

No. 3. MARCH 1979

REVIEW: CARDIAC ELECTROPHYSIOLOGY

Relation of ventricular repolarization to electrocardiographic T wave-form and arrhythmia vulnerability
M. J. Burgess H391

Comparison of hemodynamics in conscious spontaneous and renal hypertensive rats
R. A. Ferrone, G. M. Walsh, M. Tsuchiya, and E. D. Frohlich H403

Renin-angiotensin system in stroke-prone spontaneously hypertensive rats
M. Shibota, A. Nagaoka, A. Shino, and T. Fujita H409

Carotid sinus reflex function in the alloxan diabetic rabbit
D. N. Matisoff, J. C. Lee, and S. E. Downing H417

Influence of albuterol on erythropoietin production and erythroid progenitor cell activation
F. Przala, D. M. Gross, B. Beckman, and J. W. Fisher H422

Renal vascular and excretory responses to prostaglandin endoperoxides in the dog
J. A. Oliver, R. R. Sciacca, and P. J. Cannon H427

Minute-to-minute covariations in cardiovascular activity of conscious dogs
D. E. Anderson, J. E. Yingling, and K. Sagawa H434

An explanation of impaired solute mixing in extracellular fluid after hemorrhagic hypotension
A. Small and L. D. Homer H440

Effect of low fibrinogen concentrations on the rheology of human blood in vitro
W. Blättler, P. W. Straub, C. Jeanneret, and G. S. Horak H447

Enhanced myocardial RNA synthesis in hyperthyroid rats: role of endogenous RNA polymerases
C. J. Limas H451

Sympatho-adrenal responses of spontaneously hypertensive rats to immobilization stress
R. Kvetnansky, R. McCarty, N. B. Thoa, C. R. Lake, and I. J. Kopin H457

Circulating catecholamines and control of plasma renin activity in conscious dogs
M. D. Johnson, D. N. Shier, and A. C. Barger H463

Lateral subthalamic area as mediator of bradycardia responses in rabbits
M. P. Kaufman, R. B. Hamilton, J. H. Wallach, G. K. Petrik, and N. Schneiderman H471

Exercise hyperemia in potassium-depleted dogs
Y. Hazeyama and H. V. Sparks H480

Fiber orientation in hypertrophied canine left ventricle
T. E. Carew and J. W. Covell H487

External mechanical work from relaxing ventricle
H. Suga H494

SPECIAL COMMUNICATIONS

Total mechanical energy of a ventricle model and cardiac oxygen consumption
H. Suga H498

Accuracy of ventricular lumen volume measurement by intraventricular balloon method
H. Suga and K. Sagawa H506

Effect of implant duration on in vivo sensitivity of electromagnetic flow transducers
C. A. Astley, A. R. Hohimer, R. B. Stephenson, O. A. Smith, and F. A. Spelman H508

A multichannel telemetry system for recording cardiovascular neural signals
Y. Yonezawa, I. Ninomiya, and N. Nishiura H513

A simple method for volumetric measurements in isolated cardiac muscle
S. R. Houser and A. R. Freeman H519

No. 4. APRIL 1979

Effects of acidosis on mechanical function and Ca^{2+} exchange in rabbit myocardium
P. A. Poole-Wilson and G. A. Langer H525

Effect of positive end-expiratory pressure on ventricular function in dogs
R. M. Prewitt and L. D. H. Wood H534

Microvascular responses to norepinephrine in renovascular and spontaneously hypertensive rats
D. L. Wiegman, I. G. Joshua, R. J. Morff, P. D. Harris, and F. N. Miller H545

Effects of sympathetic nerves on cerebral blood flow in awake dogs
M. L. Marcus and D. D. Heistad H549

Renal effects of left atrial distension in dogs with chronic congestive heart failure
I. H. Zucker, L. Share, and J. P. Gilmore H554

Effect of tetrodotoxin on action potentials of the conducting system in the dog heart
E. Coraboeuf, E. Deroubaix, and A. Coulombe H561

Cardiac performance: independent effects of inotropy and preload at high heart rate
A. Ilebekk, M. M. Miller, and F. Kiil H568

Lack of fibrin formation in exercise-induced activation of coagulation
A. Vogt, V. Hofmann, and P. W. Straub H577

Involvement of renal α- and β-adrenoceptors in release of renin by carotid baroreflex
D. A. Powis and D. E. Donald H580

Effect of DOCA-NaCl hypertension on pre- and postcapillary resistance in isolated hindlimbs of dogs
T. A. Brock and J. N. Diana H586

Cardiovascular actions of β-phenylethylamine
C.-S. Liang and D. Sprecher H592

Prostaglandin E release from dog skeletal muscle during restricted flow exercise
E. W. Young and H. V. Sparks H596

Morphological and physiological correlation of bradykinin-induced macromolecular efflux
E. Svensjö, K.-E. Arfors, R. M. Raymond, and G. J. Grega H600

Effect of pentobarbital anesthesia on hypotension after 10% hemorrhage in the dog
H. Hosomi and K. Sagawa H607

Digoxin-norepinephrine response and calcium blocker effects in vascular smooth muscle
S. F. Flaim and D. J. DiPette H613

Choline acetyltransferase activity in rat and guinea pig heart following vagotomy
D. D. Lund, P. G. Schmid, and R. Roskoski, Jr. H620

Nerve growth factor–enhanced reinnervation of surgically denervated canine heart
M. P. Kaye, D. J. Wells, and G. M. Tyce H624

Increase in passive tension of spontaneously beating atria in hyperosmolar media
L. A. Roberts and M. J. Hughes H629

Role of vagal afferents in vasodepressor effects of PGE_2 in spontaneously hypertensive rats
D.-S. Chen, D. E. Donald, and J. C. Romero H635

SPECIAL COMMUNICATIONS

Natural biventricular hypertrophy in normotensive rats. I. Physical and hemodynamic characteristics
M. A. Pfeffer, J. M. Pfeffer, F. G. Dunn, K. Nishiyama, M. Tsuchiya, and E. D. Frohlich H640

An improved isolated heart preparation for external assessment of myocardial metabolism
S. R. Bergmann, R. E. Clark, and B. E. Sobel H644

Extracorporeal circulation system for coronary artery perfusion in the closed-chest dog
K. Kroll, F. F. A. Hendriks, and J. J. Schipperheyn H652

Development and use of a new high-frequency, low mechanical impedance strain gauge
S. H. Nellis and A. J. Liedtke H657

ANNOUNCEMENTS

H664

No. 5. MAY 1979

Effects of sodium chloride on early and chronic phases of malignant hypertension in rats
J. M. Rojo-Ortega, F. P. Queiroz, and J. Genest H665

Instantaneous pressure-volume relationship of right atrium during isovolumic contraction in canine heart
V.-K. Lau, K. Sagawa, and H. Suga H672

Scattering of cerebral blood flow estimates using ^{133}Xe intracarotid injection
P. Celsis, J.-P. Marc-Vergnes, J.-P. Charlet, and A. Sevin H680

Effect of calcium on strophanthidin-induced electrical and mechanical toxicity in cardiac Purkinje fibers
M. Vassalle and C. I Lin H689

Chronic arteriovenous shunt: evaluation of a model for heart failure in rat
S. F. Flaim, W. J. Minteer, S. H. Nellis, and D. P. Clark H698

Contributions of nerves and metabolites to exercise vasodilation: a unifying hypothesis
C. R. Honig H705

Low-frequency viscoelastic properties of canine femoral artery in vivo
P. Sipkema H720

Variability in erythrocyte deformability among various mammals
J. E. Smith, N. Mohandas, and S. B. Shohet H725

Intestinal O_2 uptake during sympathetic stimulation and partial arterial occlusion
A. P. Shepherd H731

Destruction of the nucleus tractus solitarii in the dog: comparison with sinoaortic denervation
M. Laubie and H. Schmitt H736

Avian cerebral blood flow: influence of the Bohr effect on oxygen supply
B. Grubb, J. H. Jones, and K. Schmidt-Nielsen H744

Cardiac changes during behavioral stress in dogs
R. A. Galosy, L. K. Clarke, and J. H. Mitchell H750

Induced hemodilution detected by reflectometry for measuring microregional blood flow and blood volume in cat brain cortex
A. Eke, G. Hutiray, and A. G. B. Kovách H759

Rabbit cardiovascular responses to aortic nerve stimulation at fixed carotid pressure
H. O. Stinnett, D. F. Peterson, and V. S. Bishop H769

SPECIAL COMMUNICATIONS

A tethering system for direct measurement of cardiovascular function in the caged baboon
L. D. Byrd H775

Valvar subcoronary aortic stenosis in dogs
J. R. Allard, M. J. O'Neill, Jr., and J. I. E. Hoffman H780

Simple analog circuitry for measuring time to peaks
F. L. Abel H785

No. 6. JUNE 1979

Graphical estimation of ventricular wall force and stress from pressure-volume diagram
H. Suga and K. Sagawa H787

Arterial wall properties and dietary atherosclerosis in the racing greyhound
R. H. Cox and D. K. Detweiler H790

Cardiac output and mean transit time using the phase plane of dye-dilution curves
A. Fonseca-Costa and W. A. Zin H798

Increased free fatty acid turnover in CSF during hypotension in dogs
E. Fritschka, J. L. Ferguson, and J. J. Spitzer H802

Cardiac performance of isolated perfused hearts from alloxan diabetic rats
T. B. Miller, Jr. H808

Reticuloendothelial system function following isoproterenol-induced myocardial injury
D. J. Loegering, J. J. Feintuch, and F. K. Carr H813

Rat pulmonary circulation after chronic hypoxia: hemodynamic and structural features
M. Rabinovitch, W. Gamble, A. S. Nadas, O. S. Miettinen, and L. Reid H818

Pulmonary and systemic vascular responses of perinatal goats to prostaglandins E_1 and E_2
S. Cassin, T. Tyler, C. Leffler, and R. Wallis H828

Transmural distribution of myocardial adenosine content during coronary constriction
D. H. Foley, W. L. Miller, R. Rubio, and R. M. Berne H833

Metabolic and functional effects of progressive degrees of hypothermia during global ischemia
J. T. Flaherty, H. V. Schaff, R. A. Goldman, and V. L. Gott H839

Oxygen exchange in the mesenteric microcirculation of the dog
K. J. Farrell, C. L. Witte, M. H. Witte, W. P. Mobley, and K. Kintner H846

Plasma epinephrine and control of plasma renin activity: possible extrarenal mechanisms
M. D. Johnson, E. R. Fahri, B. R. Troen, and A. C. Barger H854

Autonomic control of right atrial contractile strength in the dog
S. L. Stuesse, D. W. Wallick, and M. N. Levy H860

Humoral regulation of vascular resistance after 30 days of pulmonary artery constriction
R. F. McNamara, P. G. Schmid, J. A. Schmidt, D. D. Lund, and R. K. Bhatnagar H866

Enhanced mechanical recovery of anoxic and ischemic myocardium by amino acid perfusion
E. E. Rau, K. I. Shine, A. Gervais, A. M. Douglas, and E. C. Amos III H873

Aversive conditioning of elevations in total peripheral resistance in dogs
D. E. Anderson and J. E. Yingling H880

Blood pressure fluctuations in human nailfold capillaries
F. Mahler, M. H. Muheim, M. Intaglietta, A. Bollinger, and M. Anliker H888

SPECIAL COMMUNICATIONS

High-resolution determination of the R-R interval
H. F. Law, R. A. Epstein, and M. A. F. Epstein H894

Comparison of plethysmographic methods with pulsed Doppler blood flowmetry
B. I. Levy, W. R. Valladares, A. Ghaem, and J. P. Martineaud H899

Vascular reactivity of the isolated tibia of the dog
M. Driessens and P. M. Vanhoutte H904

Subject Index to Volume 5 H909
Author Index to Volume 5 H923

CORRIGENDA

Volume 235, November 1978
Volume 4, November 1978

Page H523: T. R. Fenton, J. M. Cherry, and G. A. Klassen. "Transmural myocardial deformation in the canine left ventricular wall." Page H527: in Figure 8, orientations of epi and endo axes should be interchanged. Page H528: in discussion at top left of page, results do not contradict results of Ingels et al. (22); they are reasonably comparable. Page H528: in Figure 9, orientations of epi and endo axes should be interchanged.

Volume 236, January 1979
Volume 5, January 1979

Page H108: A. P. Rocchini and A. C. Barger. "Renin release with carotid occlusion in the conscious dog: role of renal arterial pressure." Page H110: the second line of the addendum should read carotid sinus hypotension.

Volume 236, February 1979
Volume 5, February 1979

Page H340: James W. Mimbs, Matthew O'Donnell, James G. Miller, and Burton E. Sobel. "Changes in ultrasonic attenuation indicative of early myocardial ischemic injury." Reprint requests should be addressed to J. W. Mimbs, Cardiovascular Division, Washington University, St. Louis, MO 63110.

Subject Index to Volume 6

Acetylcholine
  atrioventricular junctional rate, H275
  noncholinergic vasodilator innervation, feet (duck, chicken), H112
  presynaptic inhibition of renal adrenergic nerves, H326
Acidosis
  hypercapnia and, cardiovascular responses, hindlimb, H359
Action potentials: *see* Potentials
Actomyosin
  content, aortic, normal maturing, H34
  content, aortic, spontaneous hypertension, H34
Adenine nucleosides
  restoration after myocardial ischemia, H247
Adenine nucleotides
  restoration after myocardial ischemia, H247
Adenosine
  blood flow, neurohumoral regulation, bones and marrow, H440
  content, skeletal muscle, hyperemia, H1
  content, skeletal muscle, ischemic contraction, H1
  salvage rates, myocardial ischemia, H247
Adenosine deaminase
  myocardial ischemia, H247
Adenosine kinase
  myocardial ischemia, H247
Adenosine triphosphate
  content, myocardial restoration after ischemia, H247
  noncholinergic vasodilator innervation, feet (duck, chicken), H112
Adipose tissue
  subcutaneous, vascular responses to hypothalamic stimulation, H386
Adrenal demedullation
  plasma catecholamine and blood pressure responses, H305
Adrenergic agonists: *see* Agonists
Adrenergic blockade: *see* Blockade
Adrenergic control
  contractility, myocardial, in hyperthyroidism, H590
Adrenergic nerves
  renal, presynaptic inhibition by acetylcholine, H326
Adrenergic receptors: *see* Receptors
Adrenergic stimuli
  circulatory effects, renal (piglets and swine), H690
α-Adrenergic vasoconstriction: *see* Vasoconstriction
β-Adrenergic vasodilation: *see* Vasodilation
Afferents
  thoracic sympathetic, renal nerve activity, H44
  vagal: *see* Vagal afferents
Aftercontractions
  cardiac muscle: *see* Muscle, heart, contraction
Aging
  heart function and morphology, spontaneous hypertension, H461
Agonists: *see also* specific subject or agent
  adrenergic, ventricular chronic volume overload, H575
Aggregation
  platelets: *see* Platelets
Alloxan diabetes: *see* Diabetes
Amines
  sympathomimetic, myocardial contractility, in hyperthyroidism, H590
Amino acids
  metabolism, anoxic heart, H535
Anaerobic myocardium: *see* Myocardium
Analog computer: *see* specific subject and site; *see also* Models
Anemia
  oxygen delivery, postnatal, H71
  physiologic, oxygen delivery, development (lamb), H668
Anesthesia: *see also* specific anesthetic agent
  carotid hypotension, H424
  carotid sinus baroreflex, H424
  peridural, pressor response to muscle ischemia, H433
Angiotensin
  deoxycorticosterone effects, vascular smooth muscle, H197
Angiotensin I
  [des-Asp^1]angiotensin I, formation of angiotensin III from, mesenteric vasculature, H218
Angiotensin II
  central infusion, hemodynamics in sodium depletion, H139
Angiotensin III
  formation from [des-Asp^1]angiotensin I, mesenteric vasculature, H218
Angiotensin antagonists
  mesenteric vasculature, H218
Angiotensin-converting enzyme: *see* Converting enzyme
Anoxia
  aspartate, conversion to succinate, heart, H535
  glutamate, conversion to succinate, heart, H535
Antagonistic vascular reflexes: *see* Reflexes
Antidiuretic hormone
  release, inhibition by cardiopulmonary receptors with vagal afferents, H299
Aorta
  actomyosin content, normal maturing, H34
  actomyosin content, spontaneous hypertension, H34
  constriction, aftercontractions, papillary muscle, H649
Aortic baroreceptor: *see* Receptors
Aortic nerve
  activation, stimulus train composition effects on heart rate, H366
  pressor reflexes: *see* Reflexes
Apparatus and techniques: *see* specific subject and site; *see also* Models
Arrhythmias
  ventricular, coronary occlusion during exercise, H520
Arterial baroreceptors: *see* Receptors
Arterial graft
  wall thickness, measurement, H265
Arterial tree
  pseudoelasticity; *see* Pseudoelasticity
Arterial wall: *see also* Vascular wall
  mechanics, hypertension, H597
  mechanics, normotension and spontaneous hypertension, H159
  thickness, graft, H265
Arteries: *see* specific artery; *see also* Compliance; Constriction; Pseudoelasticity; Stiffness; Pressure; Blood pressure
Arteriolar networks
  oxygen diffusion, H681
Arterioles
  cerebral, vasodilation, prostaglandins and, H381
Arteriosonde
  indirect blood pressure determination, renal hypertension, H720
Aspartate
  conversion to succinate, anoxic heart, H535
Atrioventricular block
  cardiac rhythms, H10
Atrioventricular fistula
  receptor sensitivity after heart failure reversal, H555
Atrioventricular junction
  rhythm, vagal repetitive bursts, H275
Atrioventricular node
  vagal activity, H275
Atropine
  atrioventricular block, H10
  cardiac rhythms, H10
  inhibition, renal adrenergic nerves, H326
  noncholinergic vasodilator innervation, feet (duck, chicken), H112
Automated analyses: *see* specific subject and site; *see also* Models
Automaticity
  atrioventricular junctional rhythm, H275
Autonomic imbalance
  carotid sinus denervation, H475
Autonomic nervous system
  atrioventricular junctional rhythm, H275
  noncholinergic vasodilators, feet (duck, chicken), H112
Autoregulation
  lower limit, H174
  superior mesenteric flow, fasting and feeding effects, H174
Auxotonic contraction
  cardiac: *see* Muscle, heart, contraction
Awake state
  blood flow distribution, regional, heat-stress and (baboon), H705

Baroreceptor reflexes: *see* Reflexes
Baroreceptors: *see* Receptors
Bezold-Jarisch reflex: *see* Reflexes
Bicarbonate-buffered solutions
  atrial myocardial inotropic response, H318
Bicuculline
  seizures, sympathetic neural effects on cerebral vessels, H178
Biopsy
  heart muscle: *see* Muscle, heart
Block
  atrioventricular, cardiac rhythms, H10

Block (*continued*)
differential nerve, pressor response to muscle ischemia, H433
sensory nerve, pressor response to muscle ischemia, H433
Blockade
β-adrenergic, myocardial contractility in hyperthyroidism, H590
ganglionic, nonuniform sympathetic neural activity, heart regions, H606
pressor response, muscle ischemia, H433, H453
Blood
ductus venosus, streaming to brain and heart, fetal (lamb), H724
Blood flow: *see also* Circulation
bone, neurohumoral regulation, H440
bone marrow, neurohumoral regulation, H440
cerebral, angiotensin II, central infusion, and sodium depletion, H139
cerebral, microsphere shunting, H25
collateral, coronary occlusion in exercise, H520
collateral, early changes during myocardial infarction, H371
coronary, microsphere shunting, H25
hepatic, microsphere shunting, H25
inferior vena caval, fetal (lamb), H724
intestinal, fasting and feeding, H174
intestinal, local control, H174
intestinal, microsphere shunting, H25
intrarenal, measurement, with ^{133}Xe, H395
mesenteric, angiotensin and, H218
mesenteric, fasting and feeding, H174
microsphere shunting, regional beds, H25
microvascular (bat wing), H59
myocardial, coronary occlusion in exercise, H520
myocardial, energy supply-demand and, H696
myocardial, ischemia, H253
myocardial, regional, after coronary occlusion in exercise, H520
regional, awake heat-stressed baboon, H705
renal, adrenergic nerves, presynaptic inhibition, H326
renal, adrenergic stimulation (piglets, swine), H690
renal, microsphere shunting, H25
skeletal muscle, adenosine, H1
splenic, microsphere shunting, H25
umbilical, fetal (lamb), H724
ventricular, variable load impedance, H125
Blood gases: *see* Gas, or the specific gas
Blood pressure: *see also* Pressure
arterial, angiotensin II, central infusion, and sodium depletion, H139
arterial, instantaneous, indirect measurement, H632
control, ascending spinal pathways, somatosympathetic A and C reflexes, H342
Doppler indirect determination technique, renal hypertension, H720
responses to raised carotid pressure (toad), H639
sensory nerve block, muscle ischemia, H433
sympathetic stimulation in pithed rats, H305
Blood sampling
arterial, ductus venosus blood, streaming to fetal brain and heart (lamb), H724
hepatic vein cannulation, transjugular, H730
Blood vessels
elastic properties, in vivo studies, H265
wall thickness, in vivo measurement, H265
Blood volume: *see also* Volume
oxygen delivery, postnatal, H71
spontaneous hypertension, H584
Body position: *see* Posture
Bone
blood flow, neurohumoral regulation, H440
Bone marrow
blood flow, neurohumoral regulation, H440
Bradycardia
baroreceptor and Bezold-Jarisch reflexes, interaction, H655
Brain
ductus venosus blood, streaming, fetal (lamb), H724
Bretylium
catecholamine and blood pressure response in pithed rats, H305
Buffers
inotropic response, atrial myocardium, H318
Bypass: *see* Shunts

Caffeine
load dependence, cardiac muscle relaxation (frog, cat, rat), H455
Calcium
activation, cardiac muscle relaxation (frog, cat, rat), H455
antagonists, myocardial calcium paradox and, H713
deoxycorticosterone effects, vascular smooth muscle, H197
exchange, hypoxic myocardium, neonatal, H612
exchange, myocardial tissue culture, H239
flux, hypoxic myocardium, neonatal, H612
function, myocardial tissue culture, H239
hydrogen ions and, relationship, heart muscle, H497
intracellular overload, calcium paradox and, H713
myocardial mitochondrial function, H224
paradox, induction, H713
paradox, myocardial cation contents, H713
structure, myocardial tissue culture, H239
Calcium ions
binding, sarcolemmal, uncoupling cation effects, neonatal, H332
displacement, sarcolemmal, uncoupling cation effects, neonatal, H332
inotropism and, atrial myocardium, H318
Calcium-magnesium
interaction, myocardial, H413
Cancer
hyperthermic therapy, hemodynamic and plasma catecholamine responses, H570
Cannulation
transjugular hepatic, nonisotopic in vivo verification, H730
Capillaries
red cell velocity, striated muscle, resting and contracting, H481
Carbon dioxide
pressure, intramural, as index of severity of myocardial ischemic injury, H253
transport, screen oxygenator for small animals, H269
Cardiac cells
single, relaxation, load dependence (frog, cat, rat), H455
tissue-cultured, uncoupling cation effects, neonatal, H332
Cardiac output
angiotensin II, central infusion, and sodium depletion, H131
coronary occlusion in exercise, H520
depressed carotid sinus reflex, newborn, H40
measurement, by impedance cardiography, H491
micturition, H213
noninvasive measurement, H491
oxygen delivery (lamb), H668
volume-depleted Goldblatt hypertension, H18
Cardiodepressant substance
shock-induced, circulating, isolation, H168
Cardiogenic reflexes: *see* Reflexes
Cardiography
impedance, cardiac output measurement, H491
Cardiopulmonary receptors: *see* Receptors
Cardiovascular changes
micturition, spontaneous, H213
Cardiovascular development
oxygen delivery (lamb), H668
Cardiovascular responses
hindlimb hypoxemia, exercise reflex and, H359
Carotid artery
mechanics, hypertension, H597
Carotid baroreceptors: *see* Receptors
Carotid baroreflex: *see* Reflexes
Carotid hypotension: *see* Hypotension
Carotid pressure
raised, pressure and heart rate responses (toad), H639
Carotid sinus
baroreceptor: *see also* Receptors
baroreceptor and Bezold-Jarisch reflexes, interactions, H655
denervation, electrocardiographic changes, H475
reflex: *see* Reflexes
Carotid system
raised pressure, effects (toad), H639
Catecholamines
cardiac rhythms in atrioventricular block, H10
plasma, responses to hyperthermic cancer therapy, H570
plasma, sympathetic stimulation in pithed rats, H305
Catechol-*O*-methyltransferase
deoxycorticosterone effects, vascular smooth muscle, H197
Cations
contents, myocardial, calcium paradox induction and, H713
uncoupling, cardiac contractility, neonatal, H332
uncoupling, sarcolemmal calcium ion binding, neonatal, H332
Central nervous system
circulation: *see* Circulation
Cerebral blood flow: *see* Blood flow
Cerebral vessels

sympathetic neural effects during seizures, H178
Cerebrovascular phenomena
prostaglandins and, H381
Cerebroventricles
lateral, angiotensin II infusion, hemodynamics in sodium depletion, H139
Cheek pouch
oxygen diffusion, arteriolar networks, H681
Chemoreceptors: *see* Receptors
Chloralose
carotid hypotension, H424
Chloride
deoxycorticosterone effects, vascular smooth muscle, H197
Cholinergic inhibition
renal sympathetic nerves, H326
Cholinergic innervation
ventricular, cardiac rhythms, H10
Chromatography
thin-layer, adenosine, myocardial, after ischemia, H247
Circulation: *see also* Blood flow
central nervous system, heat stress (baboon), H705
iliac, micturition and, H213
mesenteric, micturition and, H213
neurohumoral regulation, bones and marrow, H440
postural control, vagal and sinoaortic reflexes, H146
renal, adrenergic stimulation (piglets and swine), H690
renal, micturition and, H213
renal, somatic and cardiopulmonary receptors, interaction, H560
skin, heat stress (baboon), H705
skin, noncholinergic vasodilator innervation (duck, chicken), H112
splanchnic, heat stress (baboon), H705
Circulatory pressure
spontaneous hypertension, H584
Circulatory restraint
cardiac sympathetics, H528
vagal afferents, H528
Collagen
hypertensive carotid artery, H597
Collateral blood flow: *see* Blood flow
Compliance
arterial, spontaneous hypertension, H584
large arteries, H550
load, right ventricular flow and power output, H125
vascular, nitroprusside, H99
vascular, spontaneous hypertension, H584
ventricular, chronic volume overload, H575
ventricular, diastolic pressure-diameter relations and, H644
whole-body venous, in spontaneous hypertension, H584
Computer studies: *see* specific subject and site; *see also* Models
Connective tissue
composition, normotension and spontaneous hypertension, H159
Constriction
aortic, aftercontractions, papillary muscle, H649
arterial, genetic hypertension, H159
Contractions
cardiac: *see* Muscle, heart, contraction
Converting enzyme
mesenteric vasculature, H218
Coronary artery
bifurcations, H469
pressure wave velocity and reflection, H469
reperfusion, lymph flow, cardiac, H311
stiffness, dynamic cross-sectional, H469
Coronary blood flow: *see* Blood flow
Coronary casts
pressure wave velocity and reflection, H469
Coronary compression
fibrillation and, H191
Coronary dynamics
diabetic newborn (lamb), H118
Coronary occlusion
cardiac lymph flow, H311
collateral blood flow during myocardial infarction, H371
early ventricular diastolic events, H542
myocardial performance and collateral flow during exercise, H520
Coronary peripheral resistance: *see* Resistance
Coronary sinus
lactate, myocardial energy supply-demand factors, H696
oxygen, myocardial energy supply-demand factors, H696
Coronary vascular resistance: *see* Resistance
Coronary vessels
insulin effects, neonatal diabetes (lamb). H514
Corpuscular volume
red cells, striated muscle, resting and contracting, H481
Coupling, excitation-contraction
calcium, myocardial tissue culture, H239
magnesium effects, myocardial, H413
uncoupling cation effects, neonatal, H332
Cremaster muscle
microvascular hematocrit, red cell flow and, H481
Current
rapid inward, Purkinje fiber action potential overshoot, H204
slow inward, Purkinje fiber action potential overshoot, H204
Cutaneous circulation: *see* Circulation, skin
Cyanide
myocardial relaxation, H185

Dacron conduit
left ventricular volume overload, H575
Denervation
carotid sinus, electrocardiographic changes, H475
Deoxycorticosterone
hypertension: *see* Hypertension
in vitro effects, vascular smooth muscle, H197
[Des-Asp']angiotensin I: *see* Angiotensin I
Diabetes, alloxan
coronary dynamics, neonatal (lamb), H118
myocardial and coronary vascular responses, neonatal (lamb), H514
myocardial metabolism, neonatal (lamb), H118
Diabetes mellitus
coronary dynamics, neonatal (lamb), H118
myocardial and coronary vascular responses, neonatal (lamb), H514
myocardial metabolism, neonatal (lamb), H118
Diastolic events
left ventricular, effects of coronary occlusion, H542
Diastolic pressure-diameter relations: *see* Pressure-diameter relations
Diastolic stiffness: *see* Stiffness
Differential nerve block: *see* Block
Diffusion
gas: *see* specific gas
Digitalis-magnesium
interaction, myocardial, H413
2,3-Diphosphoglycerate
blood oxygen delivery, isolated heart, H348
Doppler technique
indirect blood pressure determination, in renal hypertension, H720
Ductus venosus
blood, streaming to brain and heart, fetal (lamb), H724
Dyssynchrony
regional, left ventricular, H542

Efferents
sympathetic stimulation, tonic circulatory restraint, cardiac, H528
Elastic properties
blood vessels, in vivo studies, H265
Elasticity
systolic, ventricular, flow-pulse response, H282
Elastin
hypertensive carotid artery, H597
Electrical stimulation
carotid sinus baroreceptor-aortic nerve pressor reflexes, interaction, H662
hypothalamic: *see* Hypothalamus
pithed rats, catecholamine and blood pressure responses, H305
Electrocardiography
carotid sinus denervation, changes, H475
Electromagnetic lever system
isotonic relaxation, papillary muscle, H83
Electrophysiological studies: *see also* specific subject and site
intracellular, on-line analysis with microcomputer system, H400
Endotoxin shock: *see* Shock
Energetics
cardiac, species differences, H90
Energy
supply-demand factors, myocardial, H696
Epicardium
pressure wave velocity and reflection, coronary artery, H469
Epinephrine
deoxycorticosterone effects, vascular smooth muscle, H197
plasma, sympathetic stimulation in pithed rats, H305
Erythrocytes
fibrinogen, response to hemorrhage, H504
flow, hematocrit and, striated muscle, H481
mean corpuscular volume, striated muscle, resting and contracting, H481
Erythropoiesis
oxygen delivery, postnatal, H71
Excitation-contraction coupling: *see* Coupling
Exercise
adenosine content, skeletal muscle, H1

Excercise (*continued*)
blood flow, neurohumoral regulation, bones and marrow, H440
circulatory control, renal, receptor interaction, H560
coronary occlusion and, myocardial performance and collateral flow, H520
reflex, cardiovascular responses to hindlimb hypoxemia, H359
reflexes, sensory nerve block in muscle ischemia, H433
running, coronary occlusion and, myocardial performance and collateral flow, H520
Extracellular fluid volume: *see* Volume
Extracorporeal oxygenation: *see* Oxygenation

Fast-channel blockers
Purkinje fiber action potential overshoot, H204
Fasting
superior mesenteric flow, autoregulation, H174
Fatty acids
free, adipose tissue, hypothalamic stimulation effects, H386
metabolism, myocardial, assessment with ^{11}C-labeled palmitate, H51
uptake, myocardial, insulin effects, neonatal diabetes (lamb), H514
Feeding
superior mesenteric flow, autoregulation, H174
Fetus
blood flow, organs (lamb), H724
ductus venosus blood, streaming to brain and heart (lamb), H724
heart function, mechanical and glycolytic, in hypoxia, H411
ventricular output, combined, distribution (lamb), H724
Fibrillation
cardiac, intramyocardial compression, quantitative study, H191
Fibrinogen
^{131}I-labeled, hemorrhage and, H504
metabolism, hemorrhage and, H504
regulation, hemorrhage and, H504
synthesis, hemorrhage and, H504
Filtration
glomerular, prostaglandin E_2 hypertension, H449
Fistula
atrioventricular, receptor sensitivity after heart failure reversal, H555
Flow
red cells, hematocrit and, striated muscle, H481
Flow-pulse response
ventricular mechanics, H282
Fluid
extracellular, volume: *see* Volume
partition, volume-depleted Goldblatt hypertension, H18
Foot
noncholinergic vasodilator innervation (duck, chicken), H112
Force development
arterial wall, genetic hypertension, H159
Force-length relations
cardiac muscle: *see* Muscle, heart
Frequency
pulse: *see* Pulse frequency

Gain
closed-loop, flow control system, H174
loop, baroreflex, during volume expansion, H153
Ganglionic blockade: *see* Blockade
Gas
tensions, myocardial ischemic injury, H253
Gas exchanger
small animal organ perfusion, H269
Genetic hypertension: *see* Hypertension
Glucose
differential, hepatic vein cannulation, transjugular, H730
uptake, myocardial, insulin effects, neonatal diabetes (lamb), H514
Glutamate
conversion to succinate, anoxic heart, H535
Glycerol
adipose tissue, hypothalamic stimulation effects, H386
Glycolysis
perinatal heart, in hypoxia, H411
Glycoproteins
surface, thrombin-platelet interaction, H353
Goldblatt hypertension: *see* Hypertension
Graft
arterial, wall thickness, measurement, H265
Guanethidine
noncholinergic vasodilator innervation, feet (duck, chicken), H112

Halothane
carotid hypotension, H424
Heart
aging, function and morphology, in spontaneous hypertension, H461
anoxia: *see* Anoxia
arrhythmias: *see* Arrhythmias
atrioventricular processes: *see* entries under Atrioventricular
beating, intracellular recording, micropipette holder for, H392
calcium paradox, H713
contraction: *see* Muscle, heart, contraction
diabetes: *see* Diabetes
ductus venosus blood, streaming, fetal (lamb), H724
electrophysiology: *see* specific subject
energetics, species differences, H90
fibrillating, intramyocardial compression, quantitative study, H191
frequency: *see also* Pulse frequency
frequency, limitation, stimulus train composition effects, H366
function, diabetic newborn (lamb), H118
function, mechanical and glycolytic, perinatal, in hypoxia, H411
hypertrophy: *see* Hypertrophy
hypoxia: *see* Hypoxia
ischemia: *see* Ischemia
isolated, blood-oxygen delivery, model, H348
isolated, flow-pulse response, ventricular, H282
isolated, perfusion system, model, H348
isolated preparation, variable load impedances, H125
lymph flow, conscious dogs, H311
metabolism, resting, H90
mitochondria: *see* Mitochondria
muscle: *see* Muscle, heart; Myocardium
pacemakers: *see* Pacemakers
potentials: *see* Potentials
receptors: *see* Receptors
rhythm, atrioventricular block, H10
rhythm, atrioventricular junction, vagal repetitive bursts, H275
rhythm, catecholamines, H10
sarcolemma: *see* Sarcolemma
stroke work: *see* Stroke work
sympathetic activity: *see* Sympathetic nerves; Sympathetic activity
synchronization, atrioventricular, vagal effects, H275
Heart atria
contraction: *see* Muscle, heart, contraction
left, pressure: *see* Pressure
left, receptor sensitivity following reversal of heart failure, H555
pacing, myocardial energy supply-demand factors, H696
Heart cells: *see* Cardiac cells
Heart failure
coronary occlusion in exercise, H520
left atrial receptors, sensitivity, H555
reversal, H555
ventricular chronic volume overload, H575
Heart rate
antidiuretic hormone release, inhibition, H299
carotid pressure and (toad), H639
control, sensory nerve block, H433
depressed carotid sinus reflex, newborn, H40
micturition, spontaneous, H213
paradoxical response, vagal activity, H275
stimulus train composition, effects, H366
Heart ventricles
architecture, aging, H461
architecture, spontaneous hypertension, H461
arrhythmias: *see* Arrhythmias
cholinergic innervation, cardiac rhythms, H10
combined output, distribution, fetal (lamb), H724
compliance: *see* Compliance
contraction: *see* Muscle, heart, contraction
function, diastolic pressure-diameter relations, effects, H644
hypertrophy: *see* Hypertrophy
mechanics, flow-pulse response, H282
pressure: *see* Pressure
pump function, flow-pulse response method, H282
receptors: *see* Receptors
repolarization, carotid sinus denervation, H475
source resistance, flow-pulse response method, H282
Heart ventricles, left
early diastolic events, effects of coronary occlusion, H542
function, insulin effects, neonatal diabetes (lamb), H514
negative dP/dt, H542
regional dyssynchrony, H542
systolic pressure-volume area, correlation with oxygen consumption, H566
Heart ventricles, right
flow and power output at variable load impedances, H125
Heat
production, myocardial, species differences, H90
stress, blood flow distribution, regional

(baboon), H705
Hematocrit
microvascular, red cell flow, striated muscle, H481
Hematological development
oxygen delivery (lamb), H668
Hematology
oxygen delivery, postnatal, H71
Hemodynamics
angiotensin II, central infusion, sodium depletion and, H139
hyperthermic cancer therapy, H570
Hemoglobin-oxygen affinity
development (lamb), H668
isolated heart model, H348
Hemorrhage
blood flow, neurohumoral regulation, bones and marrow, H440
fibrinogen response, H504
renin response (aglomerular toadfish), H105
Hemorrhagic shock: *see* Shock
Hepatic blood flow: *see* Blood flow
Hepatic vein
cannulation, transjugular, nonisotopic in vivo verification, H730
Hindlimb
exercise reflex, cardiovascular responses, in hypoxemia, H359
perfusion, carotid sinus baroreceptor-aortic nerve pressor reflexes, interaction, H662
Histamine
content, lung, newborn, H76
noncholinergic vasodilator innervation, feet (duck, chicken), H112
pulmonary arterial response, neonatal, H76
receptors, pulmonary arteries (newborn), H76
Hydraulic arterial model: *see* Models
Hydraulic servo control
arterial blood pressure measurement, H632
Hydrogen ions
calcium and, relationship, heart muscle, H497
Hyoscine
noncholinergic vasodilator innervation, feet (duck, chicken), H112
Hypercapnia
acidosis and, cardiovascular responses, hindlimb, H359
blood flow, neurohumoral regulation, bones and marrow, H440
Hypercarbia
blood flow determinations, microsphere shunting, H25
Hyperemia
adenosine content, skeletal muscle, H1
Hypertension
compliance, large arteries, H550
deoxycorticosterone, carotid artery mechanics, H597
deoxycorticosterone acetate, aftercontractions, papillary muscle, in cardiac hypertrophy, H649
genetic, actomyosin content, aortic, H34
genetic, arterial mechanics, H159
Goldblatt, volume-depleted, cardiac output, H18
Goldblatt, volume-depleted, fluid partition, H18
prostaglandin E_2-induced, H449
renal, carotid artery mechanics, H597
renal, Doppler technique, indirect blood pressure determination, H720
renal, one-kidney, volume depletion, H18
renovascular, Doppler technique for indirect blood pressure determination H720
salt, carotid artery mechanics, H597
Hypertension, spontaneous
aftercontractions, papillary muscle, in cardiac hypertrophy, H649
aging heart, function and morphology, H461
arterial wall mechanics, H159
circulatory pressure, H584
vascular compliance, H584
Hyperthermic cancer therapy
hemodynamic and plasma catecholamine responses, H570
Hyperthyroidism
contractility, myocardial, adrenergic control, H590
hypoxia and, papillary muscle mechanics, H293
Hypertrophy
heart, aging and spontaneous hypertension, H461
heart, augmented aftercontractions, papillary muscle, H649
myocardial, pressure-overload, passive stiffness and, H676
right ventricular, pressure-overload, H676
Hypotension
baroreceptor and Bezold-Jarisch reflexes, interaction, H655
carotid, anesthesia effects, H424
renin response (aglomerular toadfish), H105
Hypothalamus
electrical stimulation, adipose tissue responses, H386
medial septal region, stimulation, adipose tissue responses, H386
posterior, stimulation, adipose tissue responses, H386
Hypoxemia
hindlimb, cardiovascular responses, exercise reflex and, H359
regional, cardiovascular responses, exercise reflex and, H359
Hypoxia
adenosine, skeletal muscle, H1
blood flow, neurohumoral regulation, bones and marrow, H440
blood oxygen delivery, isolated heart model, H348
calcium exchange, neonatal myocardium, H612
glycolytic function, perinatal heart, H411
hyperthyroid papillary muscle mechanics, H293
inotropic interventions, positive, papillary muscle, H293
mechanical function, perinatal heart, H411
myocardial, relaxation and, H185

Iliac circulation: *see* Circulation
Impedance
load, variable, right ventricular flow and power output, H125
matching, flow and power output, right ventricular, H125
Impedance cardiography: *see* Cardiography
Infarction, myocardial
collateral blood flow, early changes, H371
Innervation
noncholinergic vasodilator, feet (duck, chicken), H112
Inotropy
cardiac: *see* Muscle, heart, contraction
Insulin
myocardial and coronary vascular responses, neonatal diabetes (lamb), H514
Intestines
blood flow: *see* Blood flow
flow autoregulation, fasting and feeding, H174
Ionic exchange
excitation-contraction coupling, myocardial, H413
magnesium effects, myocardial, H413
Ischemia
adenosine content, skeletal muscle, H1
lymph flow, cardiac, H311
pressor response blockade, muscle, H433
sensory nerve block, muscle, H433
Ischemia, myocardial
adenosine salvage rates, H247
adenosine triphosphate content, restoration, H247
biological components, H224
blood oxygen delivery, isolated heart, model, H348
carbon dioxide pressure, intramural, as index of severity, H253
exercise and, H520
relaxation and, H185
Isometric contraction, myocardial: *see* Muscle, heart, contraction
Isoprenaline
noncholinergic vasodilator innervation, feet (duck, chicken), H112
Isoproterenol
infusion, myocardial, energy supply-demand factors, H696
Isotonic relaxation: *see* Muscle

Kidney
adrenergic nerves, presynaptic inhibition by acetylcholine, H326
adrenergic stimuli, circulatory effects (piglets and swine), H690
aglomerular (teleost), H105
blood flow: *see* Blood flow, renal; Blood flow, intrarenal
circulation: *see* Circulation, renal
hypertension: *see* Hypertension
renin: *see* Renin
prostaglandins: *see* Prostaglandins
vascular resistance: *see* Resistance, vascular

Lactate
coronary sinus, myocardial energy supply-demand factors, H696
myocardial mitochondrial function, H224
Lanthanides
cardiac sarcolemmal calcium ions and uncoupling cations, neonatal, H322
Lanthanum ion
calcium exchange, myocardial tissue culture, H239
Laser scanner
measurement of central segment performance in isolated cardiac muscle preparations, H260
Length-stress relations
cardiac: *see* Muscle, heart
Lengthening velocity
papillary muscle: *see* Muscle, heart
Leucine
cardiodepressant substances, isolation from shock plasma, H168

Liver
blood flow: *see* Blood flow, hepatic
Load
compliance, right ventricular flow and power output, H125
dependence, cardiac muscle relaxation (frog, cat, rat), H455
impedance, variable, right ventricular flow and power output, H125
resistance, flow and power output, right ventricular, H125
Load-enthalpy relations
cardiac, species differences, H90
Loading, volume: *see* Volume loading
Loop gain: *see* Gain
Lung
histamine content, newborn, H76
Lymph flow
cardiac, H311

Magnesium
excitation-contraction coupling, myocardial, H413
Magnesium-calcium
interaction, myocardial, H413
Magnesium-digitalis
interaction, myocardial, H413
Magnesium-potassium
interaction, myocardial, H413
Markers, microsphere: *see* Microsphere markers
Marrow: *see* Bone marrow
Maturation
actomyosin content, aortic, H34
Mechanoreceptors: *see* Receptors
Membranes
permeability: *see* Permeability
responsiveness, Purkinje fiber action potential overshoot, H204
stabilization, deoxycorticosterone effects, H197
Mesenteric flow: *see* Blood flow; Autoregulation; Circulation
Mesenteric vasculature
angiotensin III formation from [des-Asp^1]angiotensin I, H218
Metabolism: *see* specific subject and site
Methoxamine
myocardial energy supply-demand factors, H696
Metiamide
noncholinergic vasodilator innervation, feet (duck, chicken), H112
Microcirculation
cerebral arterioles, prostaglandins and, H381
Microcomputer system
intracellular electrophysiological data, on-line analysis, H400
Microelectrode techniques
Purkinje fiber action potential overshoot, H204
Micropipette holder
intracellular recording from beating heart, H392
motion-compensated, H392
Microsphere markers
auxotonic contractions, cardiac muscle segments (cat, ferret, monkey), H131
Microspheres
intramyocardial compression, fibrillating heart, H191
shunting, regional blood flow determinations, H25
Microspheres, radioactive
blood flow, regional distribution, heat stress (baboon), H705
collateral blood flow during myocardial infarction, H371
ductus venosus blood streaming to fetal brain and heart (lamb), H724
energy supply-demand factors, myocardial, H696
microvascular hematocrit and red cell flow, resting and contracting striated muscle, H481
myocardial performance and collateral flow after transient coronary occlusion during exercise, H520
Microvascular dimensions
wing (bat), H59
Microvascular flow: *see* Blood flow; Microcirculation
Microvessels
hematocrit, red cell flow and, striated muscle, H481
Micturition
spontaneous, cardiovascular changes, H213
Mitochondria
myocardial, function in vitro, H224
Models
atrioventricular junctional rhythm, vagal control, computer studies, H275
auxotonic contraction, cardiac muscle segments (cat, ferret, monkey), H131
beating heart, intracellular recording, micropipette holder for, H392
blood flow, collateral, during myocardial infarction, H371
blood flow measurement, intrarenal, with ^{133}Xe, H395
blood-oxygen delivery, isolated heart, H348
blood pressure, arterial, instantaneous indirect measurement, H632
blood vessel wall thickness, in vivo measurement, H265
cardiac energetics, myothermal technique, H90
cardiac output measurement by impedance cardiography, H491
cardiac performance and collateral flow during exercise, H520
cardiodepressant substance, isolation from shock plasma, H168
cardiovascular response to hindlimb hypoxemia, H359
Doppler technique for indirect blood pressure determination in renal hypertension, H720
electromagnetic lever system, isotonic relaxation, papillary muscle, H83
fibrinogen response to hemorrhage, simulation studies, H504
flow and power output, right ventricular, at variable load impedances, H125
hydraulic arterial, H125
intracellular electrophysiological data, on-line analysis with microcomputer system, H400
intramyocardial compression, fibrillating heart, H191
laser scanning, cardiac muscles, computer-assisted data acquisition, H260
lymph flow, cardiac, H311
mathematical, oxygen diffusion from arteriolar networks, H681
microvascular hematocrit and red cell flow, resting and contracting striated muscle, H481
microvascular myogenic reaction (bat wing), H59
myocardial and coronary vascular responses to insulin, neonatal diabetes (lamb), H514
myocardial energy supply-demand factors, H696
myocardial metabolism, assessment with ^{11}C-labeled palmitate, H51
myocardial relaxation, H185
papillary muscle, maximum lengthening velocity during isotonic relaxation at preload, H83
perfusion system, isolated heart, H348
propagation velocity and reflection, pressure waves, coronary artery, H469
pseudoelasticity, arterial, mathematical expression, H620
RC, large arteries, compliance, H550
screen oxygenator for small animal organ perfusion, H269
ventricular mechanics, flow-pulse response, H282
Morphology
aging heart, in spontaneous hypertension, H461
Muscle
chemoreceptors: *see* Receptors
ischemia: *see* Ischemia
papillary: *see* Muscle, heart
striated, resting and contracting, microvascular hematocrit and red cell flow, H481
Muscle, heart: *see also* Myocardium
biopsy, energy supply-demand factors, myocardial, H696
blood-perfused, papillary, H83
calcium-hydrogen ions relationship, H497
cardiodepressant substance, shock-induced, isolation, papillary muscle, H168
central segment performance, laser scanning, H260
energetics, papillary, species differences, H90
force-length relations (cat, ferret, monkey), H131
hyperthyroid papillary muscle, hypoxia effects, H293
hypertrophied: *see* Hypertrophy
laser scanning, H260
length-stress relations, species differences, H90
lengthening velocity, papillary muscle, H83
load-enthalpy relations, species differences, H90
mechanics, laser scanning, H260
mechanics, nitroprusside and, H185
mechanics, papillary, H83
mechanics, tension prolongation phenomenon, H185
performance, hyperthyroidism, H293
performance, hypoxia, H293
relaxation, calcium-hydrogen ions relationship, H497
relaxation, isotonic, at preload, maximum lengthening velocity, papillary muscle, H83
relaxation, load dependence (frog, cat, rat), H455
relaxation, myocardial, nitroprusside effects on tension prolongation phenomenon, H185
stiffness: *see also* Stiffness

stiffness, passive, pressure-overload hypertrophied papillary muscle, H676
stiffness, passive, pressure-overload hypertrophied myocardium, H676
Muscle, heart, contraction
adrenergic control, myocardial, in hyperthyroidism, H590
aftercontractions, augmented, papillary muscle, in hypertrophy, H649
auxotonic, segments (cat, ferret, monkey), H131
bicarbonate-buffered solutions, inotropic response, atrial myocardium, H318
calcium paradox, H713
diastolic pressure-diameter relations, ventricular, H644
inotropic interventions, hyperthyroid papillary muscle, H293
inotropic interventions, hypoxia, H293
isometric, myocardial, in hypertrophy, H649
nonuniform (cat, ferret, monkey), H131
segment lengths (cat, ferret, monkey), H131
sympathetic modulation of vagal afferents, H528
Tris-buffered solutions, inotropic response, atrial myocardium, H318
uncoupling cation effects, neonatal, H332
ventricular, in chronic volume overload, H575
Muscle, smooth, vascular
actomyosin content, aortic, H34
deoxycorticosterone effects, in vitro, H197
histamine, pulmonary arterial response, neonatal, H76
mechanics, in hypertension, H597
mechanics, normotension and spontaneous hypertension, H159
Tris effects, H409
Myocardial tissue culture
calcium exchange, structure, and function, correlation, H239
Myocardium: *see also* Muscle, heart
anaerobic, amino acid metabolism, H535
blood flow: *see* Blood flow
carbon dioxide pressure, in ischemic injury, H253
cation contents, calcium paradox induction, H713
compression, fibrillation and, H191
contractility: *see* Muscle, heart, contraction
dynamics, regional, and negative dP/d*t*, H542
energy supply-demand, factors, H696
energy supply-demand, indirect indices, H696
energy supply-demand, isoproterenol infusion and, H696
excitation-contraction coupling, magnesium effects, H413
gas tension, in ischemic injury, H253
heat production, species differences, H90
hyperthyroidism, adrenergic control of contractility, H590
hypoxia: *see* Hypoxia
infarction: *see* Infarction
inotropic response to Tris- or bicarbonate-buffered solutions, H318
insulin effects, neonatal diabetes (lamb), H514
ischemia: *see* Ischemia
isometric contraction: *see* Muscle, heart, contraction
metabolism, assessment with ^{11}C-labeled palmitate, H51
metabolism, diabetic newborn (lamb), H118
metabolism, energy supply-demand factors, H696
mitochondria: *see* Mitochondria
performance, adult (sheep), H66
performance, newborn (lamb), H66
performance, transient coronary occlusion in exercise, H520
pressure: *see* Pressure; Pressure-flow relations
relaxation: *see* Muscle, heart,
stiffness, passive, pressure-overload hypertrophy, H676
tension prolongation phenomenon, nitroprusside effects, H185
Myogenic reaction
microvascular (bat wing), H59
Myothermal technique
cardiac energetics, species differences, H90

Neonates: *see* Newborn
Nerve block: *see* Block
Nerve stimulation
train composition, effects on heart rate, H366
Neural control
antidiuretic hormone release, H299
renal circulation, H560
Neural effects
cerebral vessels during seizures, H178
Neurohumoral regulation
blood flow, to bones and marrow, H440
Neurotransmission
renal, presynaptic inhibition, H326
Newborn
adrenergic stimuli, renal circulatory effects (piglets), H690
calcium exchange, hypoxic myocardium, H612
carotid sinus reflex, depressed responsiveness, H40
cations, uncoupling, effects on cardiac contractility and sarcolemmal calcium ion binding, H332
diabetic, coronary dynamics (lamb), H118
diabetic, myocardial and coronary vascular responses (lamb), H514
diabetic, myocardial metabolism (lamb), H118
heart function, mechanical and glycolytic, hypoxia, H411
histamine, pulmonary arterial responses, H76
myocardial performance (lamb), H66
oxygen delivery, cardiovascular and hematologic development (lamb), H668
oxygen delivery, hematology, postnatal, H71
postnatal development, histamine and, H76
postnatal development, pulmonary arteries and, H76
Nitroprusside
resistance and volume changes, H99
tension prolongation phenomenon, myocardial, H185
vascular effects, external reservoir, H99
vascular effects, nearly areflexic preparation, H99
Noncholinergic vasodilators: *see* Vasodilators
Nonisotopic verification
transjugular hepatic vein cannulation, H730
Norepinephrine
arterial wall mechanics, normotension and spontaneous hypertension, H159
blood flow, neurohumoral regulation, bones and marrow, H440
inhibition, renal adrenergic nerves, H326
noncholinergic vasodilator nerves, feet (duck, chicken), H112
plasma, sympathetic stimulation in pithed rats, H305
synthesis, nonuniform sympathetic activity, heart, H606
turnover, nonuniform sympathetic activity, heart, H606
Normotension
arterial wall mechanics, H159

Occlusion
coronary: *see* Coronary occlusion
Organ perfusion
screen oxygenator, for small animals, H269
Ouabain
deoxycorticosterone effects, vascular smooth muscle, H197
Overload: *see also* Pressure overload; Volume overload
calcium, intracellular, calcium paradox and, H713
Oxygen: *see also* Hemoglobin-oxygen
consumption, development (lamb), H668
consumption, left ventricular systolic pressure-volume area and, correlation, H566
coronary sinus, myocardial energy supply-demand factors, H696
delivery, cardiovascular and hematologic development (lamb), H668
delivery, isolated heart model, H348
delivery, postnatal hematology, H71
diffusion, arteriolar networks, analysis, H681
precapillary losses, analysis, H681
pressure gradients, transmural and longitudinal, arteriolar networks, H681
supply, microvascular hematocrit and, striated muscle, H481
transport, screen oxygenator for small animals, H269
transport, systemic, development (lamb), H668
usage, myocardial, insulin effects, neonatal diabetes (lamb), H514
Oxygenation
extracorporeal, for small animals, H269
Oxygenator
screen, for small animal organ perfusion, H269

Pacemakers
ectopic cardiac, atrioventricular junctional rhythm, H275
Pacing
atrial, myocardial energy supply-demand factors, H696
Paired-pulse stimulation
aftercontraction, hypertrophied cardiac muscle, H649
Palmitate, ^{11}C-labeled
myocardial metabolism assessment, H51
residue detection, myocardial, H51
tension-time index, myocardial, H51

Papillary muscle: *see* Muscle, heart
Pentobarbital
carotid hypotension, H424
Peridural anesthesia
pressor response to muscle ischemia, H433
Perfusion: *see also* specific subject and site
screen oxygenator for small animals, H269
Perfusion pressure
reduction, vascular sensitivity, H174
Pericardium
ventricular function curves, H644
Peripheral resistance: *see* Resistance
Permeability
membrane, deoxycorticosterone effects, H197
pH
cardiac muscle, H497
Phentolamine
noncholinergic vasodilator innervation, feet (duck, chicken), H112
Phenylephrine
deoxycorticosterone effects, vascular smooth muscle, H197
Phosphate
myocardial mitochondrial function, H224
Phosphate compounds
high energy, myocardial energy supply-demand, H696
Photoelectric plethysmograph: *see* Plethysmography
Physiologic anemia: *see* Anemia
Physostigmine
inhibition, renal adrenergic nerves, H326
Plasma
constituents: *see* specific substance
shock-induced cardiodepressant substance, isolation, H168
volume: *see* Volume
Plasma layer
microvascular, striated muscle, resting and contracting, H481
Platelets
aggregation, H353
thrombin and, interaction, H353
Plethysmography
photoelectric, arterial blood pressure measurement, H632
thoracic impedance, cardiac output measurement, H491
Positron emission
myocardial metabolism, assessment, H51
Postnatal development: *see* Newborn
Posture
tilting, reflex control of circulation and renin release, H146
Potassium
deoxycorticosterone effects, vascular smooth muscle, H197
flux, hypoxic myocardium, neonatal, H612
Potassium-magnesium
interaction, myocardial, H413
Potentials, action
cardiac, automated analysis with microcomputer system, H400
overshoot, Purkinje fibers, slow inward current and, H204
transmembrane, recording, micropipette holder for, H392
Preload
isotonic relaxation, papillary muscle, H83
Pressor reflexes: *see* Reflexes
Pressor response
blockade to muscle ischemia, H453
Pressure: *see also* Blood pressure
arterial, antidiuretic hormone release, inhibition, H299
arterial, depressed carotid sinus reflex, newborn, H40
arterial, micturition, H213
arterial, prostaglandin E_2 hypertension, H449
carotid, raised, pressure and heart rate responses (toad), H639
circulatory, spontaneous hypertension, H584
filling, vascular compliance and, in spontaneous hypertension, H584
intramyocardial, fibrillation and, H191
left atrial, coronary occlusion during exercise, H520
left ventricular, early diastolic events, coronary occlusion effects, H542
left ventricular, peak negative, regional myocardial dynamics and, H542
perfusion, reduction, vascular sensitivity, H174
Pressure-diameter relations
diastolic, ventricular function curves and, H644
Pressure-flow relations
intramyocardial, fibrillation and, H191
Pressure overload
passive stiffness, hypertrophied myocardium, H676
Pressure-volume area
left ventricular systolic, correlation with oxygen consumption, H566
Pressure-volume relations
left ventricular, oxygen consumption and, H566
Pressure wave
propagation velocity and reflection, coronary artery, H469
Presynaptic inhibition
renal adrenergic nerves, H326
Propagation
pressure wave velocity and reflection, coronary artery, H469
Propranolol
noncholinergic vasodilator innervation, feet (duck, chicken), H112
Prostaglandin D_2
vasodilation, cerebral arterioles, H381
Prostaglandin E_2
vasodilation, cerebral arterioles, H381
hypertension: *see* Hypertension
infusion, chronic intrarenal, H449
Prostaglandin G_2
vasodilation, cerebral arterioles, H381
Prostaglandin I_2
vasodilation, cerebral arterioles, H381
Protein
plasma, hemorrhage and, H504
Pseudoelasticity
veins, H620
Pseudoelasticity, arterial
constitutive equation, H620
strain energy function, H620
mathematical expression, H620
mechanical properties, H620
stress-strain relations, H620
Pulmonary artery
responses to histamine, neonatal, H76
Pulse: *see also* Flow-pulse response; Paired-pulse stimulation
frequency, stimulus train composition effects, H366
responses, ventricular, new method, H282
Pumps
ventricular function: *see* Heart ventricles
Purkinje fibers
action potentials: *see* Potentials
intracellular electrophysiological data, microcomputer system, H400

Radioactive microspheres: *see* Microspheres
Radiography
blood vessel wall thickness, in vivo measurement, H265
Radionuclide studies: *see* specific subject and site; *see also* Microspheres
Rapid inward current: *see* Current
RC model: *see* Models
Receptors: *see also* Reflexes
α-adrenergic, renal circulatory activity (piglets and swine), H690
β-adrenergic, renal circulatory activity (piglets, swine), H690
aortic, volume expansion and, H153
cardiac, sympathetic modulation of vagal afferents, H528
cardiopulmonary, vagal afferents, antidiuretic hormone inhibition, H299
cardiopulmonary, volume expansion and, H153
chemoreceptors, cardiovascular responses to hindlimb hypoxemia, H359
chemoreceptors, muscle, pressor response to muscle ischemia, H433
histamine, pulmonary arteries, neonatal, H76
left atrial, sensitivity after reversal of heart failure, H555
mechanoreceptors, left atrial, after reversal of heart failure, H555
somatic and cardiopulmonary, interaction, in renal circulation control, H560
ventricular, interaction, H655
Receptors, baroreceptors
arterial, antidiuretic hormone release, inhibition, H299
arterial, depressed reflex, newborn, H40
blood flow regulation, bones and marrow, H440
carotid, renal circulation control, H560
carotid sinus, and aortic nerve pressor reflexes, interaction, H662
carotid sinus, anesthesia and, H424
postural control of circulation and renin release, H146
Red cells: *see* Erythrocytes
Reflexes: *see also* Receptors
antagonistic vascular, interaction, H662
baroreceptor and Bezold-Jarisch, interaction, H655
baroreceptor, carotid sinus, anesthesia and, H424
cardiogenic, interaction, H655
carotid sinus, depressed responsiveness, newborn, H40
exercise, cardiovascular responses to hindlimb hypoxemia, H359
exercise, sensory nerve block in muscle ischemia, H433
organization, thoracic sympathetic afferents, H44
pressor, aortic nerve, and carotid sinus baroreceptor, interaction, H662
pressor, hindlimb, H359
renal nerve activity, H44
sinoaortic, control of circulation and renin

release, H146
somatosympathetic, A and C, ascending spinal pathways, H342
tachycardia, hindlimb, H359
vagal, control of circulation and renin release, H146
Reflexes, baroreflex
carotid, function during volume expansion, H153
carotid sinus, anesthesia and, H424
depressed responsiveness, newborn, H40
stimulus train composition effects on heart rate, H366
Regional blood flow: *see* Blood flow
Relaxation
cardiac muscle: *see* Muscle, heart
Renal hypertension: *see* Hypertension
Renal nerves
activity, electrophysiological analysis, H44
activity, thoracic sympathetic afferents and, H44
postural control of circulation and renin release, H146
Renin
hypotension (aglomerular toadfish), H105
plasma activity, angiotensin II infusion, central, and sodium depletion, H139
plasma activity, prostaglandin E_2 hypertension, H449
release, hemorrhage (aglomerular toadfish), H105
release, postural control, vagal and sinoartic reflexes, H146
Renovascular hypertension: *see* Hypertension
Reoxygenation
myocardial relaxation and, H185
Reperfusion
coronary artery: *see* Coronary artery
myocardial relaxation and, H185
Repolarization
ventricular, carotid sinus denervation, H475
Reserpine
noncholinergic vasodilator innervation, feet (duck, chicken), H112
Resistance
apparent source, right ventricular flow and power output, H125
load, flow and power output, right ventricular, H125
peripheral, depressed carotid sinus reflex, newborn, H40
ventricular source, flow-pulse response method, H282
Resistance, vascular
blood flow, neurohumoral regulation, bones and marrow, H440
coronary, insulin effects, neonatal diabetes (lamb), H514
coronary peripheral, pressure wave velocity and reflection, H469
nitroprusside effects, H99
renal, circulatory control, receptor interaction, H560
Reticulocytes
oxygen delivery, postnatal, H71
Rhythm
cardiac: *see* Heart; *see also* Arrhythmias
Running: *see* Exercise

Salt
hypertension: *see* Hypertension
Sarcolemma
isolated vesicles, calcium ion binding, uncoupling cation effects, neonatal, H332
Sarcotubular system
load dependence, cardiac muscle relaxation (frog, cat, rat), H455
Scanning
laser, cardiac muscle, H260
Scintillation-disk flow cell technique
calcium exchange, myocardial tissue culture, H239
Screen oxygenator: *see* Oxygenator
Seizures
sympathetic neural effects on cerebral vessels, H178
Sensory nerve block
pressor response to muscle ischemia, H433
Septum
hypothalamic: *see* Hypothalamus
Servo control
hydraulic, arterial blood pressure measurement, H632
Shock
endotoxin, cardiodepressant substance, isolation, H168
hemorrhagic, cardiodepressant substance, isolation, H168
Shock plasma
cardiodepressant substance, isolation, H168
Shunts
veno-right atrial bypass, nitroprusside and, vascular effects, H99
Sialic acid
calcium exchange, myocardial tissue culture, H239
Simulation studies: *see* specific subject and site; *see also* Models
Sinoartic reflex: *see* Reflexes
Sinus node artery
atrioventricular junctional rhythm, vagal activity, H275
Skin
circulation: *see* Circulation
Slow-channel blockers
Purkinje fiber action potential overshoot, H204
Slow inward current: *see* Current
Sodium
depletion, hemodynamics, angiotensin II central infusion, H139
Sodium acetate
inhibition, renal adrenergic nerves, H326
Sodium-water balance
prostaglandin E_2 hypertension, H449
Somatic receptors: *see* Receptors
Somatosympathetic reflexes: *see* Reflexes
Species differences
auxotonic contraction, cardiac muscle segments (cat, ferret, monkey), H131
cardiac energetics, H90
load dependence, cardiac muscle relaxation (frog, cat, rat), H455
noncholinergic vasodilator innervation, feet (duck, chicken), H112
thrombin-platelet interaction, H353
Sphygmomanometry
ultrasonic, indirect blood pressure determination, Doppler technique, in renal hypertension, H720
Spinal pathways
ascending, somatosympathetic A and C reflexes, H342
Splanchnic circulation: *see* Circulation
Spleen
blood flow: *see* Blood flow
vascular effects of nitroprusside, H99
Stiffness
arterial, normotension and spontaneous hypertension, H159
cardiac muscle: *see* Muscle, heart
diastolic, pressure-overload hypertrophied myocardium, H676
dynamic cross-sectional, coronary artery, H469
passive, pressure-overload hypertrophied myocardium, H676
Stimulus train composition
heart rate and, H366
Strain energy function
arterial pseudoelasticity, H620
Stress-strain relations
arterial pseudoelasticity, H620
Striated muscle: *see* Muscle
Stroke volume: *see* Volume
Stroke work
left ventricular systolic pressure-volume area, correlation with oxygen consumption, H566
Succinate
aspartate and glutamate conversion, anoxic heart, H535
Superregulation
superior mesenteric flow, H174
Sympathectomy
cardiac, tonic circulatory restraint, H528
cardiovascular changes during micturition, H213
Sympathetic activity
A and C reflexes, ascending spinal pathways, H342
carotid sinus denervation, H475
nonuniform, heart regions, H606
Sympathetic afferents
renal nerve activity, H44
Sympathetic control
selective, heart regions, H606
Sympathetic modulation
vagal afferents, H528
Sympathetic nerves
cardiac, tonic circulatory restraint by vagal afferents, H528
cerebral vessels during seizures, H178
postural control of circulation and renin release, H146
renal, cholinergic inhibition, H326
Sympathetic outflow
pithed rats, H305
Sympathetic stimulation
efferent, tonic circulatory restraint, cardiac, H528
Sympathomimetic amines: *see* Amines
Systolic elasticity
ventricular, flow-pulse response, H282
Systolic performance
diastolic pressure-diameter relations and, H644
Systolic pressure-volume area
left ventricular, correlation with oxygen consumption, H566

Tachycardia
reflexes, hindlimb, H359
Tail
instantaneous arterial blood pressure measurement, H632
Temperature
regulation, blood flow distribution, heat stress (baboon), H705
Temperature, body, regulation

Temperature, body, regulation (*continued*)
noncholinergic vasodilator innervation, feet (duck, chicken), H112
Tension
myocardial: *see* Myocardium; Muscle, heart
wall, vascular (bat wing), H59
Thermodilution
cardiac output measurement, H491
Thoracic aorta: *see* Aorta
Thoracic impedance plethysmography: *see* Plethysmography
Thoracic sympathetic afferents
renal nerve activity, H44
Thrombin
binding, H353
platelets and, interaction, H353
Thyroid hormone
cardiac muscle performance, in hypoxia, H293
Tilting: *see* Posture
Tissue: *see* Adipose tissue; Connective tissue; *see also* specific site
Transjugular hepatic cannulation: *see* Cannulation
Transmembrane potentials: *see* Potentials
Transmission: *see* Neurotransmission
Tris
vascular smooth muscle responses, H409
Tris-buffered solutions
atrial myocardial inotropic response, H318

Ultrasonic sphygmomanometry: *see* Sphygmomanometry
Umbilical blood flow
fetal (lamb), H724
Uncoupling cations
cardiac contractility and sarcolemmal calcium ion binding, neonatal, H332
Unloaded vascular volume: *see* Volume

Vagal afferents
baroreceptor and Bezold-Jarisch reflexes, interaction, H655
cardiopulmonary, antidiuretic hormone inhibition, H299
circulatory control, renal, receptor interaction, H560
sympathetic modulation, H528
tonic circulatory restraint, cardiac sympathetics and, H528
volume expansion, carotid baroreflex function and, H153
Vagal control
atrioventricular junctional rhythm, H275
Vagal reflex: *see* Reflexes
Vagus nerve
postural control of circulation and renin release, H146
Vascular compliance: *see* Compliance
Vascular resistance: *see* Resistance
Vascular responses
subcutaneous adipose tissue, to hypothalamic stimulation, H386
Vascular smooth muscle: *see* Muscle, smooth, vascular
Vascular wall; *see also* Arterial wall
tension (bat wing), H59
thickness, in vivo measurement, H265
Vascular waterfall
fibrillating heart, H191
Vasoconstriction
α-adrenergic, hypothalamic stimulation, H386
Vasoconstrictor nerves
feet (duck, chicken), H112
Vasodilation
β-adrenergic, hypothalamic stimulation, H386
cerebral arterioles, prostaglandins and, H381
Vasodilator nerves
feet (duck, chicken), H112
Vasodilators
noncholinergic innervation, feet (duck, chicken), H112
Veins
pseudoelasticity, H620
Velocity
capillary red cell, striated muscle, resting and contracting, H481
Vena cava, inferior
blood flow and distribution, fetal (lamb), H724
Veno-right atrial bypass: *see* Shunts
Venous return
spontaneous hypertension, H584
Ventilatory control
sensory nerve block, H433
Ventricles: *see* Heart ventricles; Cerebroventricles
Veratridine
baroreceptor and Bezold-Jarisch reflexes, interaction, H655
Viscoelasticity
arterial, mathematical expression, H620
Volume: *see also* Blood volume
depletion, Goldblatt hypertension, H18
dilution, myocardial mitochondrial function, H224
extracellular fluid, Goldblatt hypertension, H18
plasma, Goldblatt hypertension, H18
red cells, striated muscle, resting and contracting, H481
stroke, impedance cardiography, H491
unstressed, spontaneous hypertension, H584
vascular, nitroprusside effects, H99
vascular, unloaded, blood pressure measurement, H632
Volume expansion
carotid baroreflex function, modulation, H153
Volume loading
aging and hypertensive heart, H461
Volume overload
ventricular contractility and compliance, H575

Wall: *see* Arterial wall; Vascular wall
Washout
xenon-133, intrarenal blood flow measurement, H395
Water: *see* Sodium-water balance
Wave-front
velocity and reflection, coronary artery, H469
Whole-body venous compliance: *see* Compliance
Wing
microvascular flow and dimensions (bat), H59
microvascular myogenic reaction (bat), H59
Work, stroke: *see* Stroke work

Xenon-133
washout, intrarenal blood flow measurement, H395

Author Index to Volume 6

Abbott, W. M., H265
Abboud, F. M., H560
Adams, H. R., H318
Akiyama, T., H392
Albertini, R., H213
Alto, L. E., H713
Arroyave, C. M., H76
Arts, T., H469

Baccelli, G., H213
Bagshaw, R. J., H424
Barker, N. D., H348
Barnes, G. E., H174
Barsamian, E. M., H253
Baur, H. R., H475
Becker, L. C., H371
Beierwaltes, W. H., H218
Berkowitz, S., H535
Berman, W., Jr., H66
Bers, D. M., H332
Berti, G. A., H139
Bing, O. H. L., H185, H260
Bishop, V. S., H366, H528
Black, J. A., H71
Boer, P., H491
Bohr, D. F., H197
Bolli, P., H395
Boucher, M., H10
Bouskela, E., H59
Bove, A. A., H676
Brandon, T. A., H311
Braunwald, E., H253, H590
Brazeau, P., H690
Britton, S. L., H218
Brosnihan, K. B., H139
Brutsaert, D. L., H455
Buckley, N. M., H690
Buja, L. M., H224
Bull, J. M., H570
Burleson, P. D., H730
Butler, S. H., H433
Butt, T. J., H395

Carey, R. A., H676
Carlson, T. H., H504
Chagrasulis, R. W., H191
Chai, C. Y., H153
Chau, N. P., H550
Chen, H. C., H153
Chen, H. I., H153, H655
Chen, R. Y. Z., H25
Chien, S., H25
Chuck, L. H. S., H455
Chung, J. M., H342
Cingolani, H. E., H497
Cohen, M. V., H520
Coleman, T. G., H584
Coulson, R. L., H676
Cowley, A. W., Jr., H449
Cox, R. H., H159, H424, H597

Dallman, P. R., H668
Dampney, R. A. L., H146
De Clerck, N. M., H455
Del Bo, A., H213
Dhalla, N. S., H713
Donnell, J. J., H606
Dorhout Mees, E. J., H491
Downey, J. M., H191
Downing, S. E., H118, H514
Duchêne-Marullaz, P., H10
Dugan, R. C., H18
Duling, B. R., H481
Durrett, L. R., H318
Dykstra, R. H., H606

Earle, A. M., H555
Edelstone, D. I., H724
Eisenman, J., H168
Elharrar, V., H400
Ellis, E. F., H381
Entman, M. L., H311, H575

Fan, F.-C., H25
Felder, D. S., H275
Ferrario, C. M., H139
Ferrone, R. A., H18
Fiksen-Olsen, M. J., H218
Fishbein, M. C., H461
Frank, J. S., H239
Frasier, I. D., H690
Freund, P. R., H433
Frohlich, E. D., H461
Fronek, K., H620
Fung, Y. C., H620

Gaasch, W. H., H185
Gallagher, K. P., H542
Ganguly, P., H353
Gavin, W., 535
Geyskes, G. G., H491
Gibbs, C. L., H90
Gilmore, J. P., H555
Glantz, S. A., H644
Goldfarb, R. D., H168
Goldstein, R. A., H51
Golin, R., H146
Gootman, P. M., H690
Granger, H. J., H174
Gross, J. F., H681
Gross, P. M., H440
Grover, R. F., H76

Hales, J. R. S., H705
Hall, R. E., H386
Hanna, B. D., H269
Hartley, C. J., H575
Heistad, D. D., H178, H440
Heller, L. J., H649
Hellstrand, P., H409
Hemphill, V., H191
Hillis, L. D., H253
Hirkaler, G., H720
Hobbs, S. F., H433
Hockel, G. M., H449
Hoerter, J., H411
Hoffman, B. F., H204
Housmans, P. R., H455
Hunter, W. C., H282
Huntsman, L. L., H131
Hutchins, G. M., H371

Iguchi, A., H730

Janicki, J. S., H282
Jarmakani, J. M., H411, H612
Jarmakani, R. N., H612
Johansson, B., H409
Jones, A. W., H197
Jones, D. R., H395
Joseph, D. S., H131
Jugdutt, B. I., H371

Karliner, J. S., H542
Kendrick, J. E., H662
Khalafbeigui, F., H566
Khuri, S. F., H253
Kidson, I. G., H265
Kim, Y. D., H570
King, R. B., H705
Klein, M. S., H51
Klevans, L. R., H720
Klitzman, B., H481
Kloner, R. A., H253
Koehler, M. F., H197
Koler, R. D., H71
Kontos, H. A., H381
Kopin, I. J., H305, H570
Kovacs, J. L., H720
Kruger, R. T. L., H469
Kumada, T., H542

Lacombe, E. H., H348
Lake, C. R., H570
Lambregts, J. A. C., H469
Langer, G. A., H239, H332
Lavarenne, J., H10
Lecarpentier, Y. C., H455
Lee, J. C., H118, H514
Lees, D. E., H570
Lekven, J., H99
Lesch, M., H535
Levenson, J. A., H550
Levy, B. I., H550
Levy, M. N., H275
Lewis, R. M., H311, H575
Lioy, F., H269
Lister, G., H668
L'Italien, G. J., H265
Ljung, B., H409
Loiselle, D. S., H90
London, G. M., H550
Longhurst, J., H359
Lovelace, D. E., H400
Lunde, L. G., H105

Macklem, L. J., H44
Mancia, G., H213
Manders, W. T., H40
Marcus, M. L., H178, H440
Maroko, P. R., H253
Marr, H. B., H386
Mary-Rabine, L., H204
Matson, G. L., H662
Mattiazzi, A. R., H497
Mayer, H. E., H606
McGregor, D. D., H112
Meckler, R. L., H44
Megerman, J., H265
Meliza, M. W., H366
Metcalfe, J., H71
Michael, L. H., H311
Misbach, G. A., H99, H644
Mueggler, P. A., H71
Mueller, S. M., H178
Mukherjee, A., H224
Murphy, T. M., H433
Musselman, J., H66

Nakanishi, T., H612
Natarajan, G., H676
Nelson, C. V., H348
Newman, J. H., H76
Nichols, G. L., H131
Nishimura, H., H105
Noordergraaf, A., H282
Norris, C. P., H174
Nudd, L. M., H239

Oda, R. P., H606
Oehl, R. S., H44
Oiye, M. Y., H131

Palacios, I., H293
Parker, R. E., H386
Parmley, W. W., H99
Patitucci, P., H620
Penpargkul, S., H696
Perille, T., H535
Peterson, D. F., H366, H528
Peterson, J. S., H71
Pfeffer, J. M., H461
Pfeffer, M. A., H461
Phair, R. D., H1
Piene, H., H125
Pierach, C. A., H475
Pinsky, W. W., H575
Pirone, L. A., H348
Popel, A. S., H681
Pouleur, H., H542
Powell, W. J., Jr., H293

Rand, P. W., H348
Reeve, E. B., H504
Reeves, J. T., H76
Reibel, D. K., H247
Reimann, K. A., H44
Reneman, R. S., H469
Ritzer, T., H696
Robie, N. W., H326
Romero, J. C., H218
Roos, J. C., H491
Rosen, M. R., H204
Ross, J., Jr., H542
Rovetto, M. J., H247
Rowell, L. B., H433, H705
Rubin, S. A., H99
Rudolph, A. M., H668, H724
Rutherford, J. D., H590

Safar, M. E., H550
Sagar, K., H293
Sagawa, K., H566
Sakurai, Y., H83
Samar, R. E., H584
Sanborn, T., H535
Scheuer, J., H696
Schmid, P. G., H299, H606
Schuessler, G. B., H25
Schuette, W. H., H570
Segura, E. T., H639
Seidel, C. L., H34
Serrino, P., H392
Sexton, J. M., H218
Shimazu, H., H632
Shimizu, T., H528
Shine, K. I., H413
Shirato, K., H542
Sidhu, P., H353
Sigurdsson, S. B., H409
Simon, A. C., H550

Simpson, F. O., H395
Skinner, N. S., Jr., H386
Smith, E. E., H174
Sobel, B. E., H51
Souhrada, J. F., H76
Spacapan de Castuma, E., H497
Spann, J. F., H676
Sparks, H. V., H1
Stella, A., H146
Stephens, A., H504
Suga, H., H566
Sugawara, M., H83
Sund, T., H125
Sutherland, S. B., H353
Szabo, A. J., H730

Tamiya, K., H83
Templeton, G., H224
Thames, M. D., H299, H560
Togawa, T., H632
Tow, D. E., H253
Trippodo, N. C., H18
Tung, C. S., H153
Turlapaty, P. D. M. V., H409
Tyberg, J. V., H99

Uvelius, B., H409

Van Gerven, W., H469
Vatner, S. F., H40, H590
Versmold, H. T., H668

Wallick, D. W., H275
Wallis, A. T., H395
Walsh, G. M., H18
Walter, T. K., H668
Weaver, L. C., H44
Webb, R. C., H197
Webber, C. L., Jr., H342
Weber, K. T., H282
Weber, P., H168
Wei, E. P., H381
Weigner, A. W., H260
Weise, V., H570
Welch, M. J., H51
Wiederhielm, C. A., H59
Willerson, J. T., H224
Wong, T. M., H224
Wurster, R. D., H342

Yamaguchi, I., H305
Yamakoshi, K.-I., H632
Yipintsoi, T., H520, H696

Zanchetti, A., H146, H213
Zelis, R., H359
Zieske, H., H275
Zucker, A., H105
Zucker, I. H., H555

American Journal of Physiology: Heart and Circulatory Physiology

VOLUME 6, July–December 1979

Editor: M. N. LEVY

Associate Editors:

L. L. HEFNER
P. MARTIN
R. A. OLSSON
K. SAGAWA
B. E. SOBEL
M. VASSALLE

Editorial Board:

N. ALEXANDER
E. O. ATTINGER
R. M. BERNE
V. S. BISHOP
S. CASSIN
S. CHIEN
R. H. COX
D. E. DONALD
V. H. DONALDSON
S. E. DOWNING
M. L. ENTMAN
J. J. FABER
C. M. FERRARIO
G. R. FERRIER
E. D. FROHLICH
G. L. GEBBER
G. GLICK
R. W. GORE
D. D. HEISTAD
H. A. HOLMSEN
H. D. ITSKOVITZ
P. G. KATONA
P. KEZDI
H. A. KONTOS
A. M. LEFER
C. S. McCAA
R. A. MURPHY
A. J. PAPPANO
H. P. PIEPER
G. H. POLLACK
D. V. PRIOLA
H. M. RANNEY
E. M. RENKIN
C. F. ROTHE
A. SCHWARTZ
J. B. SCOTT
H. V. SPARKS
N. SPERELAKIS
A. E. TAYLOR
J. V. TYBERG
J. URQUHART
S. F. VATNER
A. M. WATANABE
T. C. WEST
W. J. WHALEN
A. L. WIT
R. ZAK
J. E. ZEHR
M. B. ZUCKER

Publications Committee of the American Physiological Society

A. P. FISHMAN, *Chairman*
R. M. BERNE
H. E. MORGAN

S. R. GEIGER
Publications Manager and Executive Editor

B. B. RAUNER
Production Manager

W. A. SONNENBERG
Business Manager

E. R. MEYERS
Copy Editor

Published monthly by
THE AMERICAN PHYSIOLOGICAL SOCIETY
9650 Rockville Pike, Bethesda, MD. 20014

Copyright © 1979 by the American Physiological Society. Printed in the United State of America by Waverly Press, Inc., Baltimore, MD 21202. The code at the bottom of the first page of an article indicates the copyright owner's consent that copies of an article may be made beyond that permitted by sections 107 and 108 of the U.S. Copyright Law—unless the copies are for general distribution, for advertising, for creating new works, or for resale—provided the per-copy fee is paid through the Copyright Clearance Center, Inc., Operations Center, P.O. Box 765, Schenectady, NY 12301.

Guest Referee Editors

The Publications Committee of the American Physiological Society gratefully acknowledges the services of the following guest referee editors who assisted the Editorial Board in the reviews of manuscripts.

J. A. Abildskov
G. G. Ahumada
R. S. Alexander
J. C. Allen
N. R. Alpert
P. Anderson
T. W. Anderson
M. Antonaccio
C. D. Arnand
J. Bache
N. Baenziger
J. Bagshaw
C. Barlow
K. L. Barnes
A. L. Bassett
H. R. Besch
J. A. Bevan
R. Bevan
P. Bie
O. H. L. Bing
E. H. Blackstone
E. H. Bloch
C. M. Bloor
E. L. Bockman
J. P. Boineau
H. R. Bourne
G. Bowen
A. J. Brady
N. Briggs
K. L. Brigham
S. A. Brodarick
B. Bromberger-Barnew
C. Brooks
B. Brosnihan
A. M. Brown
C. Carlson
G. Chisholm
G. Clark
H. Coghlan
G. Coleman
W. Colman
B. Corr
A. W. Cowley, Jr.
A. F. Cutiletta
D. L. Davis
J. O. Davis
J. W. de Jong
J. C. Denniston
R. Detar
T. C. Donald III
J. M. Downey
B. R. Duling
A. Fabiato
E. O. Feigl
J. D. Folts
D. W. Frederiksen
K. Fronek
T. Fukuyama
C. E. Ganote
L. A. Geddes
W. J. George
M. G. Gerin
J. R. Gill, Jr.
R. A. Gillis
J. P. Gilmore
S. Glantz
R. A. Goldstein
L. Goodman
C. A. Goresky
S. Gowda
H. J. Granger
H. L. Green
J. C. Greenfield, Jr.
C. V. Greenway
D. M. Griggs, Jr.
A. F. Grimm
W. Grossman
W. H. Guier
F. J. Haddy
G. R. Hageman
R. L. Hamlin
B. Hamrell
P. G. Harms
L. J. Haywood
B. F. Hoffman
J. O. Holloszy
C. R. Honig
L. Huntsman
T. N. James
J. Janicki
J. A. Johnson
H. J. Joist
G. Kaley
M. B. Kardon
R. P. Karlsberg
A. M. Katz
B. G. Katzung
M. P. Kaye
W. Klip
K. Koizumi
I. J. Kopin
W. G. Kubicek
M. Kumada
E. Lakatta
K. F. Lanoue
R. Lazzara
C. W. Leffler
M. Legato
E. Lepeschkin
R. Lerch
C. E. Leroy
H. J. Levine
J. V. Levy
C. Liang
A. J. Liedtke
C. Linder
T. C. Lloyd
B. R. Lucchesi
M. Marcus
H. S. Margolius
B. H. Marks
W. L. Maughan
M. M. Maurer
D. McCall
G. Meschia
W. R. Milnor
J. R. Mitchell
W. A. Mitzner
S. Moore
J. A. Moorhouse
M. Morad
E. Morkin
C. F. Morris
A. R. Morrison
S. Murphy
W. G. Nayler
P. Needleman
J. R. Neely
M. R. Neuman
W. W. Nichols
A. S. Nies
A. Noordergraaf
S. Oparil
L. H. Opie
E. Page
S. Permutt
M. A. Pfeffer
M. E. Phelps
B. Pitt
P. I. Polimeni
W. J. Powell, Jr.
R. J. Przbylski
J. Raines
P. W. Ramwell
W. C. Randall
T. J. Regan
K. A. Reimer
D. G. Reynolds
C. R. Roe
W. R. Roeske
J. Ross, Jr.
M. J. Rovetto
R. Rubio
S. I. Said
D. Saville
B. J. Scherlag
J. Scheuer
L. P. Schramm
R. W. Schrier
S. Shapiro
W. E. Shell
A. P. Shepherd, Jr.
A. A. Shoukas
E. Shrago
E. E. Smith
O. A. Smith
A. P. Somlyo
J. F. Spann, Jr.
C. Steenbergen
H. Suga
K. G. Swan
M. H. Tan
R. E. Ten Eick
L. Tobian, Jr.
T. Togawa
F. Urthaler
J. L. Walker, Jr.
W. H. Waugh
K.T. Weber
W. J. Whalen
R. D. White
C. A. Wiederhielm
J. R. Williamson
L. S. Wolfe
J. M. Wood
E. L. Yellin
T. Yipintsoi
M. Yokoyama
H. A. Zieske
I. H. Zucker

American Journal of Physiology: Heart and Circulatory Physiology

No. 1. JULY 1979

Adenosine content of skeletal muscle during active hyperemia and ischemic contraction
R. D. Phair and H. V. Sparks H1

Catecholamines and cardiac rhythms in the unanesthetized dog with chronic AV block
M. Boucher, P. Duchêne-Marullaz, and J. Lavarenne H10

Fluid partitition and cardiac output in volume-depleted Goldblatt hypertensive rats
N. C. Trippodo, G. M. Walsh, R. A. Ferrone, and R. C. Dugan H18

Determinations of blood flow and shunting of 9- and 15-μm spheres in regional beds
F.-C. Fan, G. B. Schuessler, R. Y. Z. Chen, and S. Chien H25

Aortic actomyosin content of maturing normal and spontaneously hypertensive rats
C. L. Seidel H34

Depressed responsiveness of the carotid sinus reflex in conscious newborn animals
S. F. Vatner and W. T. Manders H40

Organization of thoracic sympathetic afferent influences on renal nerve activity
L. C. Weaver, L. J. Macklem, K. A. Reimann, R. L. Meckler, and R. S. Oehl H44

External assessment of myocardial metabolism with [^{11}C]palmitate in rabbit hearts
M. S. Klein, R. A. Goldstein, M. J. Welch, and B. E. Sobel H51

Microvascular myogenic reaction in the wing of the intact unanesthetized bat
E. Bouskela and C. A. Wiederhielm H59

Myocardial performance in the newborn lamb
W. Berman, Jr. and J. Musselman H66

Postnatal regulation of oxygen delivery: hematologic parameters of postnatal dogs
P. A. Mueggler, J. S. Peterson, R. D. Koler, J. Metcalfe, and J. A. Black H71

Postnatal changes in response of canine neonatal pulmonary arteries to histamine
J. H. Newman, J. F. Souhrada, J. T. Reeves, C. M. Arroyave, and R. F. Grover H76

Maximum lengthening velocity during isotonic relaxation at preload in canine papillary muscle
K. Tamiya, M. Sugawara, and Y. Sakurai H83

Species differences in cardiac energetics
D. S. Loiselle and C. L. Gibbs H90

Resistance and volume changes caused by nitroprusside in the dog
S. A. Rubin, G. Misbach, J. Lekven, W. W. Parmley, and J. V. Tyberg H99

ANNOUNCEMENTS H104

No. 2. AUGUST 1979

Renin response to hemorrhage and hypotension in the aglomerular toadfish *Opsanus tau*
H. Nishimura, L. G. Lunde, and A. Zucker H105

Noncholinergic vasodilator innervation in the feet of ducks and chickens
D. D. McGregor H112

Coronary dynamics and myocardial metabolism in the diabetic newborn lamb
J. C. Lee and S. E. Downing H118

Flow and power output of right ventricle facing load with variable input impedance
H. Piene and T. Sund H125

Auxotonic contractions in cardiac muscle segments
L. L. Huntsman, D. S. Joseph, M. Y. Oiye, and G. L. Nichols H131

Hemodynamics of central infusion of angiotensin II in normal and sodium-depleted dogs
K. B. Brosnihan, G. A. Berti, and C. M. Ferrario H139

Vagal and sinoaortic reflexes in postural control of circulation and renin release
R. A. L. Dampney, A. Stella, R. Golin, and A. Zanchetti H146

Modulation of the carotid baroreflex function during volume expansion
H. I. Chen, C. Y. Chai, C. S. Tung, and H. C. Chen H153

Comparison of arterial wall mechanics in normotensive and spontaneously hypertensive rats
R. H. Cox H159

Isolation of a shock-induced circulating cardiodepressant substance
R. D. Goldfarb, P. Weber, and J. Eisenman H168

Autoregulation of superior mesenteric flow in fasted and fed dogs
C. P. Norris, G. E. Barnes, E. E. Smith, and H. J. Granger H174

Effect of sympathetic nerves on cerebral vessels during seizures
S. M. Mueller, D. D. Heistad, and M. L. Marcus H178

Myocardial relaxation. I. Effect of nitroprusside on the tension prolongation phenomenon
W. H. Gaasch and O. H. L. Bing H185

Quantitative study of intramyocardial compression in the fibrillating heart
J. M. Downey, R. W. Chagrasulis, and V. Hemphill H191

In vitro effects of desoxycorticosterone on vascular smooth muscle
M. F. Koehler, R. C. Webb, and A. W. Jones, and D. F. Bohr H197

Participation of slow inward current in the Purkinje fiber action potential overshoot
L. Mary-Rabine, B. F. Hoffman, and M. R. Rosen H204

Cardiovascular changes during spontaneous micturition in conscious cats
G. Baccelli, G. Mancia, A. Del Bo, R. Albertini, and A. Zanchetti H213

Formation of angiotensin III from [des-Asp^1]angiotensin I in the mesenteric vasculature
J. M. Sexton, S. L. Britton, W. H. Beierwaltes, M. J. Fiksen-Olsen, and J. C. Romero H218

Influence of volume dilution, lactate, phosphate, and calcium on mitrochondrial functions
A. Mukherjee, T. M. Wong, G. Templeton, L. M. Buja, and J. T. Willerson H224

Correlation of calcium exchange, structure, and function in myocardial tissue culture
G. A. Langer, J. S. Frank, and L. M. Nudd H239

Myocardial adenosine salvage rates and restoration of ATP content following ischemia
D. K. Reibel and M. J. Rovetto H247

Intramural P_{CO_2}: a reliable index of the severity of myocardial ischemic injury
S. F. Khuri, R. A. Kloner, L. D. Hillis, D. E. Tow, E. M. Barsamian, P. R. Maroko, and E. Braunwald H253

SPECIAL COMMUNICATIONS

Laser scanner measurement of central segment performance in isolated cardiac muscle preparations
A. W. Weigner and O. H. L. Bing H260

In vivo measurement of blood vessel wall thickness
G. J. L'Italien, I. G. Kidson, J. Megerman, and W. M. Abbott H265

Evaluation of a screen oxygenator suitable for small animal organ perfusion
B. D. Hanna and F. Lioy H269

No. 3. SEPTEMBER 1979

Effects of repetitive bursts of vagal activity on atrioventricular junctional rate in dogs
D. W. Wallick, M. N. Levy, D. S. Felder, and H. Zieske H275

Flow-pulse response: a new method for the characterization of ventricular mechanics
W. C. Hunter, J. S. Janicki, K. T. Weber, and A. Noordergraaf H282

Effect of hypoxia on mechanical properties of hyperthyroid cat papillary muscle
I. Palacios, K. Sagar, and W. J. Powell, Jr. H293

Cardiopulmonary receptors with vagal afferents tonically inhibit ADH release in the dog
M. D. Thames and P. G. Schmid H299

Plasma catecholamine and blood pressure responses to sympathetic stimulation in pithed rats
I. Yamaguchi and I. J. Kopin H305

Cardiac lymph flow in conscious dogs
L. H. Michael, R. M. Lewis, T. A. Brandon, and M. L. Entman H311

Inotropic responsiveness of atrial myocardium bathed in Tris- or bicarbonate-buffered solutions
L. R. Durrett and H. R. Adams H318

Presynaptic inhibition of canine renal adrenergic nerves by acetylcholine in vivo
N. W. Robie H326

Uncoupling cation effects on cardiac contractility and sarcolemmal Ca^{2+} binding
D. M. Bers and G. A. Langer H332

Ascending spinal pathways for the somatosympathetic A and C reflexes
J. M. Chung, C. L. Webber, Jr., and R. D. Wurster H342

Application of an isolated heart model to investigate blood-oxygen delivery
P. W. Rand, C. V. Nelson, E. H. Lacombe, N. D. Barker, and L. A. Pirone H348

Interaction of thrombin with mammalian platelets
P. Sidhu, S. B. Sutherland, and P. Ganguly H353

Cardiovascular responses to local hindlimb hypoxemia: relation to the exercise reflex
J. Longhurst and R. Zelis H359

Aortic nerve activation: effect of stimulus train composition on heart rate
D. F. Peterson, M. W. Meliza, and V. S. Bishop H366

Early changes in collateral blood flow during myocardial infarction in conscious dogs
B. I. Jugdutt, L. C. Becker, and G. M. Hutchins H371

Vasodilation of cat cerebral arterioles by prostaglandins D_2, E_2, G_2, and I_2
E. F. Ellis, E. P. Wei, and H. A. Kontos H381

Vascular responses in canine subcutaneous adipose tissue to hypothalamic stimulation
R. E. Parker, R. E. Hall, H. B. Marr, and N. S. Skinner, Jr. H386

SPECIAL COMMUNICATIONS

Intracellular recording from beating heart in situ using a special micropipette holder
T. Akiyama and P. Serrino H392

A method of intrarenal blood flow measurement using xenon-133 in the intact rat
T. J. Butt, P. Bolli, D. R. Jones, A. T. Wallis, and F. O. Simpson H395

On-line analysis of intracellular electrophysiological data using a microcomputer system
V. Elharrar and D. E. Lovelace H400

LETTERS TO THE EDITOR

Effects of Tris on vascular smooth muscle
B. Johansson, B. Ljung, P. Hellstrand, B. Uvelius, and S. B. Sigurdsson; P. D. M. V. Turlapaty H409

Effect of hypoxia on mechanical and glycolytic function in the perinatal heart
J. Hoerter; J. M. Jarmakani H411

No. 4. OCTOBER 1979

REVIEW: CARDIAC EXCITATION-CONTRACTION COUPLING

Myocardial effects of magnesium
K. I. Shine H413

Influence of anesthesia on the response to carotid hypotension in dogs
R. H. Cox and R. J. Bagshaw H424

Blockade of the pressor response to muscle ischemia by sensory nerve block in man
P. R. Freund, L. B. Rowell, T. M. Murphy, S. F. Hobbs, and S. H. Butler H433

Neurohumoral regulation of blood flow to bones and marrow
P. M. Gross, D. D. Heistad, and M. L. Marcus H440

Prostaglandin E_2-induced hypertension in conscious dogs
G. M. Hockel and A. W. Cowley, Jr. H449

Nature of load dependence of relaxation in cardiac muscle
Y. C. Lecarpentier, L. H. S. Chuck, P. R. Housmans, N. M. De Clerck, and D. L. Brutsaert H455

Cardiac function and morphology with aging in the spontaneously hypertensive rat
J. M. Pfeffer, M. A. Pfeffer, M. C. Fishbein, and E. D. Frohlich H461

Propagation velocity and reflection of pressure waves in the canine coronary artery
T. Arts, R. T. I. Kruger, W. van Gerven, J. A. C. Lambregts, and R. S. Reneman H469

Electrocardiographic changes after bilateral carotid sinus denervation in the rat
H. R. Baur and C. A. Pierach H475

Microvascular hematocrit and red cell flow in resting and contracting striated muscle
B. Klitzman and B. R. Duling H481

Measurement of cardiac output by impedance cardiography under various conditions
P. Boer, J. C. Roos, G. G. Geyskes, and E. J. Dorhout Mees H491

Relationship between calcium and hydrogen ions in heart muscle
A. R. Mattiazzi, H. E. Cingolani, and E. Spacapan de Castuma H497

Experimental studies of the fibrinogen response to hemorrhage
E. B. Reeve, A. Stephens, and T. H. Carlson H504

Myocardial and coronary vascular responses to insulin in the diabetic lamb
S. E. Downing and J. C. Lee H514

Myocardial performance and collateral flow after transient coronary occlusion in exercising dogs
M. V. Cohen and T. Yipintsoi H520

Role of cardiac sympathetics in the tonic circulatory restraint by vagal afferents
T. Shimizu, D. F. Peterson, and V. S. Bishop H528

No. 5. NOVEMBER 1979

Augmented conversion of aspartate and glutamate to succinate during anoxia in rabbit heart
T. Sanborn, W. Gavin, S. Berkowitz, T. Perille, and M. Lesch H535

Effects of coronary occlusion on early ventricular diastolic events in conscious dogs
T. Kumada, J. S. Karliner, H. Pouleur, K. P. Gallagher, K. Shirato, and J. Ross, Jr. H542

An evaluation of large arteries compliance in man
A. C. Simon, M. E. Safar, J. A. Levenson, G. M. London, B. I. Levy, and N. P. Chau H550

Changes in the sensitivity of left atrial receptors following reversal of heart failure
I. H. Zucker, A. M. Earle, and J. P. Gilmore H555

Interaction of somatic and cardiopulmonary receptors in control of renal circulation
M. D. Thames and F. M. Abboud H560

Left ventricular systolic pressure-volume area correlates with oxygen consumption
F. Khalafbeigui, H. Suga, and K. Sagawa H566

Hemodynamic and plasma catecholamine responses to hyperthermic cancer therapy in humans
Y. D. Kim, C. R. Lake, D. E. Lees, W. H. Schuette, J. M. Bull, V. Weise, and I. J. Kopin H570

Permanent changes of ventricular contractility and compliance in chronic volume overload
W. W. Pinsky, R. M. Lewis, C. J. Hartley, and M. L. Entman H575

Mean circulatory pressure and vascular compliances in the spontaneously hypertensive rat
R. E. Samar and T. G. Coleman H584

Adrenergic control of myocardial contractility in conscious hyperthyroid dogs
J. D. Rutherford, S. F. Vatner, and E. Braunwald H590

Alterations in active and passive mechanics of rat carotid artery with experimental hypertension
R. H. Cox H597

Evidence of nonuniform sympathetic neural activity to heart regions in guinea pigs
P. G. Schmid, R. H. Dykstra, H. E. Mayer, R. P. Oda, and J. J. Donnell H606

Effect of hypoxia on calcium exchange in neonatal mammalian myocardium
J. M. Jarmakani, T. Nakanishi, and R. N. Jarmakani H612

Pseudoelasticity of arteries and the choice of its mathematical expression
Y. C. Fung, K. Fronek, and P. Patitucci H620

SPECIAL COMMUNICATIONS

Indirect measurement of instantaneous arterial blood pressure in the rat
K.-I. Yamakoshi, H. Shimazu, and T. Togawa H632

ANNOUNCEMENTS H638

No. 6. DECEMBER 1979

Pressure and heart rate responses to raised carotid pressure in the toad
E. T. Segura H639

Changes in the diastolic pressure-diameter relation alter ventricular function curves
G. A. Misbach and S. A. Glantz H644

Augmented aftercontractions in papillary muscles from rats with cardiac hypertrophy
L. J. Heller H649

Interaction between the baroreceptor and Bezold-Jarisch reflexes
H. I. Chen H655

Interaction between carotid sinus baroreceptor and aortic nerve pressor reflexes in the dog
J. E. Kendrick and G. L. Matson H662

Oxygen delivery in lambs: cardiovascular and hematologic development
G. Lister, T. K. Walter, H. T. Versmold, P. R. Dallman, and A. M. Rudolph H668

Increased passive stiffness of short-term pressure-overload hypertrophied myocardium in cat
G. Natarajan, A. A. Bove, R. L. Coulson, R. A. Carey, and J. F. Spann H676

Analysis of oxygen diffusion from arteriolar networks
A. S. Popel and J. F. Gross H681

Renal circulatory effects of adrenergic stimuli in anesthetized piglets and mature swine
N. M. Buckley, P. Brazeau, P. M. Gootman, and I. D. Frasier H690

Myocardial energy supply-demand factors: flow and metabolism during isoproterenol infusion in dogs
T. Yipintsoi, S. Penpargkul, T. Ritzer, and J. Scheuer H696

Regional distribution of blood flow in awake heat-stressed baboons
J. R. S. Hales, L. B. Rowell, and R. B. King H705

Myocardial cation contents during induction of calcium paradox
L. E. Alto and N. S. Dhalla H713

SPECIAL COMMUNICATIONS

Indirect blood pressure determination by Doppler technique in renal hypertensive cats
L. R. Klevans, G. Hirkaler, and J. L. Kovacs H720

Preferential streaming of ductus venosus blood to the brain and heart in fetal lambs
D. I. Edelstone and A. M. Rudolph H724

Transjugular hepatic vein cannulation in rats with nonisotopic in vivo verification
A. Iguchi, P. D. Burleson, and A. J. Szabo H730

Subject Index to Volume 6 H735
Author Index to Volume 6 H745

CORRIGENDA

Volume 236, May 1979
Volume 5, May 1979

Page H705: Carl R. Honig. "Contributions of nerves and metabolites to exercise vasodilation: a unifying hypothesis." Pages H716 and H717: Figs. 12 and 13 should be interchanged.

Volume 236, June 1979
Volume 5, June 1979

Page H833: Duane H. Foley, Wayne L. Miller, Rafael Rubio, and Robert M. Berne. "Transmural distribution of myocardial adenosine content during coronary constriction." Page H833: in line 16 of the abstract the value for adenosine content of the inner segment should be 0.041 ± 0.007. Page H836: the last sentence of the first paragraph should be: There was also a higher level of creatine phosphate in the outer segment than in the middle segment during coronary artery constriction, but this difference was not statistically significant.

Volume 237, July 1979
Volume 6, July 1979

Page H76: John H. Newman, Joseph F. Souhrada, John T. Reeves, Carlos M. Arroyave, and Robert F. Grover. "Postnatal changes in response of canine neonatal pulmonary arteries to histamine." Page H79: the legend presently listed with Fig. 5 belongs to Fig. 6. Page H80: the legend presently listed with Fig. 6 belongs to Fig. 7, and the legend presently listed with Fig. 7 belongs to Fig. 5.